2294
1

PHARMACOPŒIA

COLLEGII REGII

MEDICORUM

EDINBURGENSIS.

EDINBURGI,
Apud BELL & BRADFUTE;
Londini apud G. & J. Robinson; et
Dublinii apud Gilbert & Hodges.

MDCCC III.

Imprimatur

Hic liber, cui Titulus Pharmacopoeia Collegii Regii Medicorum Edinburgensis.

Datum ex Ædibus Collegii Regii, III. Nonas Novembres MDCCCI.

Jacobus Gregory, *Præses.*
Alexander Monro, *sen.* } *Censores.*
Andreas Duncan, *sen.* }

Excudebant
Adamus Neill & Socii.

GEORGIO III.

DEI GRATIA,

BRITANNIARUM

REGI;

REGUM OPTIMO,

SCIENTIARUM ARTIUMQUE

PATRONO;

COLLEGIUM REGIUM

MEDICORUM

EDINBURGENSE

PHARMACOPOEIAM SUAM,

SUMMA VENERATIONE,

DICAT CONSECRATQUE.

NOMINA SOCIORUM
COLLEGII REGII MEDICORUM
EDINBURGENSIS,

M,DCCC,I.

SOCII ORDINARII.

JACOBUS GREGORY, *Præses et Elector.*
Stuartus Threipland.
Franciscus Home.
Gregorius Grant.
Alexander Monro *sen. Elector et Censor.*
Joannes Gardiner.
Gulielmus Butter.
Robertus Petrie.

Maxwell Garthſhore.

Jacobus Hay.

Gulielmus Shippen.

Jacobus Lind.

Andreas Duncan *ſen. Elector et Cenſor.*

Jacobus Hamilton *primus, Elector.*

Gulielmus Buchan.

Nathaniel Spens.

Robertus Langlands.

Daniel Rutherford, *Elector.*

Arnoldus Bartholomeus Beerenbrock.

Jacobus Hamilton, *ſecundus.*

Gulielmus Wright, *Elector.*

Thomas Gilleſpie.

Joannes Lind.

Thomas Meik.

Gulielmus Grieve.

Robertus Steavenſon.

4

Joannes Josephus Sue.

Joannes Marshall.

Jacobus Wood.

Robertus Grant.

Andreas Farquharson.

Joannes Clark.

Jacobus Campbell.

Henricus Maclagan.

Robertus Freer.

David Morton.

Samuel Spalding.

Thomas Cochrane.

Thomas Spens, *Collegii ab Ærario et Elector.*

Joannes Drummond.

Patricius Baron Seton.

Carolus Stuart.

Alexander Hamilton,

Carolus Congalton.

Jacobus Clark.
Thomas Gillies.
Gulielmus Roxburgh.
Georgius Wilſon.
Gulielmus Moncrieffe.
Andreas Fillan.
Jacobus Home, *Collegii Bibliothecarius.*
Jacobus Currie.
Joannes Coakley Lettſom.
Thomas Arnold.
Joannes Yule.
Joſephus Fox.
Jacobus Macdonnell.
Jacobus Hamilton *tertius.*
Andreas Young.
Angus Macdonnell.
Alexander Philip Wilſon.
Jacobus Buchan.

5

Jacobus Gaſking.

Alexander Stewart.

Gualterus Farquhar, *Baronettus.*

Joannes Hutton Cooper.

Alexander Douglas, *Baronettus.*

Thomas Carolus Hope, *Collegii ab Epiſtolis.*

Georgius Dickſon.

Andreas Duncan *jun.*

Andreas Keltie.

Alexander Monro *jun.*

Colinus Lauder.

G. G. Browne Mill.

Alexander Wilſon.

Robertus Kennedy.

Matthæus Poole.

Thomas Jameſon.

Gulielmus Kennedy.

Nicolas Romayne.

Alexander

Alexander Morrison.

Gulielmus Ward.

Jacobus Robertson.

SOCII HONORARII.

Henricus Dux de Buccleugh.

Josephus Banks, *Baronettus et Eques Balnei.*

Antonius Baro de Störck.

Joannes Rogerson.

Georgius Baker, *Baronettus.*

Joannes Gottlieb Walterus,

Augustus Gottlieb Richterus.

Benjaminus Comes Rumford.

HONORARIUS ex Officio.

Jacobus Flint, *in Academia Andreapolitana Medicinæ Professor Candossensis.*

COLLEGIUM REGIUM MEDICORUM EDINBURGENSE

LECTORI S.

AD Medicinam rite faciendam, accurata Materiæ Medicæ notitia, rectaque medicamentorum præparatio et compoſitio, omnium conſenſu, maxime ſunt neceſſaria. Medicamenta bona recte adhibita, ſalutem promittunt; et mala, vel male compoſita, funeſta multa adferunt, vel nil ægrotantibus proficiunt. Cùm tantum medicamina poſſint, in iis rite diſponendis et conficiendis, opus medicum præcipue verſari debet. Hinc, Ars Pharmaceutica ubi-

que

que adeo ab ingeniosissimis Medicis exculta est, ut singulæ fere civitates proprias suas habuerint Pharmacopœias. Nec hac in re defuit Collegium Regium Medicorum Edinburgense, dum adhuc in incunabulis esset, emisso ad id opusculo satis idoneo.

Ea tamen est Pharmaceutices, ut aliarum rerum sors et conditio, ut temporis vicissitudines haud effugiat. Postulant id tum ingens pharmacorum varietas, tum artis incrementa et progressus. Hinc fit, ut in Pharmacopœia Edinensi plurima desiderentur, quæ usus deinceps introduxit; et licet ea omnibus fere contractior sit, non pauca inveniantur dudum obsoleta, ut jam fere norma Pharmacopœis esse desierit. Ne igitur ob inscitiam Pharmacopœorum, ægrotantium vita in periculo sit, aut Medicorum spes fallatur, Collegium nostrum, Reipublicæ commodo suæque dignitati prospiciens, Pharmacopœiam hanc denuo limatam auctamque, quæ, omnibus in hac urbe

urbe * Pharmacopœis in medicamentis componendis norma ſit et regula, in lucem publicum emitti voluit, gratum opus, et ægrotis, et medentibus.

Ut hi noſtri conatus in Reipublicæ commodum, in ægrorum ſalutem, et in medicinæ incrementum, feliciter cedant, junctis votis, ardentèr optamus.

Datum Edinburgi, ex Ædibus
Collegii Medici, Prid. Cal. Decemb.
Anno a Chriſto Nato,
MDCCXXI.

De

* Act of the Parliament of Scotland, 16th June 1685.

De nona hac Pharmacopœiæ noſtræ editione monuiſſe ſufficiat, eam quâ potuerimus curâ emendatam prodire. Anteceſſorum noſtrorum veſtigia plerumque in re medicamentariâ perſecuti, non ita tamen iis inſtitimus, quin celebriores aliarum gentium Pharmacopœias præ oculis habuerimus; ne vel aliorum labores ſpernere, vel noſtris nimium confidere videremur.

Nova quædam, vel propriâ experientiâ vel graviſſimis clarorum virorum teſtimoniis, nobis commendata, in numerum Medicamentorum accepimus. Nonnulla, majorum credulitate, forſitan et ſuperſtitione, invecta, reſecuimus. Si quid vero hujuſmodi adhuc ſuperſit, id poſteris delendum reliquimus; præſtat enim, ut nobis videtur, copiâ quam penuriâ premi.

Mul-

Multorum medicamentorum nomina antiqua et vulgaria, monentibus Botanice et Chemiâ nuper adeo feliciter cultis, cum aliis commutavimus; quo facilius et promptius ex ipsis nominibus vera eorum natura et compositio innotescant.

In hoc opere, consilium nobis et quasi lex fuit, Animalia et Vegetabilia, quæ simplicia medicamenta præbent, iis solis nominibus indicare, quibus appellantur ab optimis Historiæ Naturalis et Botanicæ scriptoribus: quâ in re scripta summi Linnæi nobis maximæ fuerunt auctoritatis. Ubicunque aliis scriptoribus fidere oportebat, auctores sedulò indicavimus. Tamdiu verò sub prelo versatus est hic liber, ut non mirum fuerit si quædam ad hanc operis nostri partem spectantia detecta sint, postquam Catalogus Materiæ Medicæ typis fuit totus impressus. Hoc, ut accepimus * jam factum

* Acta Societatis Linnæani, Vol. VI. pag. 137.

factum eſt de Ipecacuanhâ; quam clarus Felix Avellar Brotero, Botanicæ in Academiâ Coimbrenſi Profeſſor, accuratè deſcripſit nomine Callicoccâ Ipecacuanhâ, et icone illuſtravit. Si fortè idem acciderit de aliis quorum notitia nondum huc pervenerit, Auctores ſperamus nos habituros eſſe excuſatos, qui non aliam ob cauſam eos non ut decuiſſet citavimus.

Gravior autem labor nos haud parum moratus eſt in deſcribendis variis præparatis et compoſitis quæ inter medicamenta recenſentur. Hæc omnia propoſitum fuit iis ſolis nominibus definire quæ jam apud optimos hujus ſeculi Chemicos invaluerunt. Horum ſermo novus et quaſi proprius, etſi nondum omnibus ſuis numeris et partibus abſolutus, tamen ad ſcientiæ uſus videtur accommodatiſſimus; et adeo neceſſarius, ut non dubitemus eum, ut jam a junioribus receptus eſt, ita ab omnibus Medicis et Medicamentariis brevi receptum iri. Ho-

rum ſermo in re medicamentariâ olim receptus, non alius erat quàm vetus Chemicus: igitur, ut nobis videtur, æquum eſt eum Medicinâ exulare, qui jam in Chemiâ prorſus obſolevit.

Metuentes vero ne quorundam medidicamentorum tituli, nimis verboſi et incommodi forent, ſi omnes vel minutiſſimas partes denotarent quæ iis ineſſent, contenti ſumus per titulos indicâſſe præcipuas tantum eorum partes, unde, ut nobis videtur, vires et uſus compoſitionum pendent. Ob eandem cauſam, ſimplicia quædam, in frequentiſſimo uſu, et omnibus bene nota, præcepimus vulgaribus ipſorum nominibus; cujuſmodi exempla ſunt Opium, Moſchus, Caſtoreum, Crocus Anglicus: ſat eſſe rati indicâſſe, in catalogo Materiæ Medicæ, animalia et vegetabilia unde obtinentur.

Nomina quædam ad ſcientiam Chemicam vix pertinentia, at in re tamen medi-

camentariâ diu recepta, *Tincturam* nempe et *Spiritum*, noluimus mutare. Hoc indicamus compositionem Alcoholis, per destillationem, cum variis substantiis, oleis præsertim, volatilibus; illâ, ejusdem compositionem cum variis substantiis, aromaticis præsertim et resinosis, quæ per infusionem in ipso solvuntur.—Quæ multa vero, tum in nominibus, tum in rebus ipsis, adhuc novanda sint, quum tot tantaque incrementa Medicina et Chemia his temporibus capiant, scientiæ progressus optime docebunt.

Datum ex Ædibus Collegii, x^mo^ Calendas Maias, M DCCC III.

PON-

PONDERUM RATIO.

Cum haud levis in re medicamentaria ſæpe oriatur error, ex promiſcuo menſurarum et ponderum diverſorum uſu, omnia quæ præſcribimus, fluida pariter ac ſolida pondere ſolo definimus. Vinum tamen, aquam, et aquoſa, metiri fas erit; dummodo pro menſuris, adhibeantur vaſa, præſertim vitrea, quorum capacitates et diviſiones, libræ medicæ ejusque diviſionibus et multiplicationibus accuratè reſpondeant. Ponderum genere utimur linguâ vernaculâ *Troy weight* vocato, quod in hunc modum dividimus.

Libra	valet	uncias duodecim.
Uncia	valet	drachmas octo.
Drachma	valet	ſcrupulos tres.
Scrupulus	valet	grana viginti.

ORDO

ORDO CAPITUM.

PARS I.

Pag.

MATERIA MEDICA, - - 1

PARS II.

MEDICAMENTA PRÆPARATA ET COMPOSITA, - - 33

CAP. I. *Simplicium quorundam medicamentorum præparationes,* 35

— II. *Conservæ,* - - 42

— III. *Succi,* - - 43

— IV. *Succi spissati vulgo Extracta,* 44

— V. *Olea Fixa sive Expressa,* 47

— VI. *Emulsiones,* - 48

CAP.

		Pag.
Cap. VII.	*Infusa*, - -	50
— VIII.	*Decocta*, - -	58
— IX.	*Syrupi*, - -	64
— X.	*Vina*, - -	73
— XI.	*Aceta*, - -	77
— XII.	*Tincturæ*, - -	79
— XIII.	*Extracta*, -	99
— XIV.	*Aquæ stillatitiæ*, -	102
— XV.	*Spiritus stillatitii*, -	104
— XVI.	*Olea volatilia, olim Olea stillatitia vel essentialia*,	108
— XVII.	*Oleosa*, - -	112
— XVIII.	*Sales et Salina*, -	114
— XIX.	*Metallica*, - -	142
— XXI.	*Pulveres*, - -	165
— XXII.	*Electuaria*, -	170
— XXIII.	*Pilulæ*, - -	175
— XXIV.	*Trochisci*, -	182

Cap.

Pag.
Cap. XXV. *Linimenta, Unguenta et Cerata*, 186
— XXVI. *Emplastra*, - - 195

TABULA, *exhibens Quantitatem Opii, Antimonii et Hydrargyri, in Medicamentis quibusdam compositis*, - 203

PARS

PARS I.

MATERIA MEDICA;

SIVE,

CATALOGUS MEDICAMENTORUM SIMPLICIUM ET QUORUNDAM PRÆPARATORUM, QUÆ A PHARMACOPOEO IPSO NON PRÆPARANTUR, SED IN OFFICINA EJUS SEMPER PRÆSTO ESSE DEBENT.

MATERIA MEDICA.

ACIDUM acetosum.
  Acetum.

Acidum sulphuricum.
  Acidum vitriolicum.
    Hujus pondus specificum, in calore 60°, *esse debet ad pondus aquæ destillatæ ut* 1850 *ad* 1000.

Aconitum Napellus. In usu sunt *Folia.*

 Acorus

Acorus Calamus. *Radix.*
Calamus aromaticus.

Æſculus Hippocaſtanum. *Semen, Cortex.*
Hippocaſtanum.

Alcohol.
Spiritus vinoſus rectificatus ſive *puriſſimus.*
Spiritus deſtillatus ex vino vel aliis liquoribus fermentatis, ab odore ingrato purificatus, cujus pondus ſpecificum ſit ad pondus aquæ ut 835 *ad* 1000, *qualis facile paratur.*

Alcohol dilutum.
Spiritus vinoſus tenuior ſive *dilutus.*
Alcohol cui immixta fuerit aquæ pars æqua; paulo tenuius quam liquor linguâ vernaculâ vocatus Proof-ſpirit. *Ejus pondus ſpecificum eſt ad pondus aquæ ut* 935 *ad* 1000.

Allium

Allium ſativum. *Radix.*

Aloe perfoliata. *Gummi-reſina.*
a. *Aloe hepatica.*
b. *Aloe Socotorina.*

Althæa officinalis. *Radix, Folia.*

Ammoniacum. *Gummi-reſina.*

Amomum repens. *Semen.*
Cardamomum minus. Sonnerati iter.

Amomum Zingiber. *Radix ſiccata; et*
Zingiber. *radix condita ex*
India allata.

Amygdalus communis. *Nucleus.*
Amygdalus dulcis.

Amylum. *Ex tritico præparatum.*

Amyris Gileadensis. *Resina.*
Balsamum Gileadense.

Anchusa tinctoria. *Radix.*

Anethum Fœniculum. *Semen, Radix.*
Fœniculum dulce.

Angelica Archangelica. *Radix, Folia, Semen.*
Angelica sativa.

Angustura. *Cortex.*

Anthemis nobilis. *Herba et Flores.*
Chamæmelum.

Anthemis Pyrethrum. *Radix.*
Pyrethrum.

Apium Petroſelinum. *Radix.*
Petroſelinum.

Arbutus Uva Urſi. *Folia.*
Uva Urſi.

Arctium lappa. *Radix.*
Bardana.

Argentum.

Ariſtolochia Serpentaria. *Radix.*
Serpentaria Virginiana.

Arnica montana. *Flores, Radix.*

Artemiſia Abſinthium. *Folia et Summitates florentes.*
Abſinthium.

Artemiſia Santonica. *Cacumen.*
Santonicum.

Aſtragalus Tragacantha. *Gummi.*
Tragacantha.

Atropa Belladonna. *Folia.*
Belladonna.
Solanum lethale.

Avena ſativa. *Semen.*

Bitumen petroleum.
Petroleum Barbadenſe.

Boletus igniarius.
Agaricus.

Boras Sodæ.
Borax.

Bubon Galbanum. *Gummi-reſina.*
Galbanum.

Calx. *Ex lapide calcareo.*
Calx viva. *Ex teſtis conchyliorum.*

Cancer pagurus *et* aſtacus. *Chelæ, Lapilli.*
Cancrorum oculi.

Canella alba. *Cortex.*

Capſicum annuum. *Fructus.*
Piper Indicum.

Carbonas Barytæ.
Barytes.
Terra ponderoſa.

Carbonas Calcis.
Creta alba.

Carbonas Potaſſæ impurus.
Cineres clavellati.
Lixiva.
Alkali fixum vegetabile.
Anglicè, Potaſhes, *vel* Pearlaſhes.

Carbonas Sodæ impurus.
Barilla.

Carbonas

Carbonas Zinci impurus.
Lapis Calaminaris.

Cardamine pratenſis. — *Petala, Folia.*

Carum Carui. — *Semen.*
Carvi.

Caryophyllus aromaticus. — *Floris germen, et oleum ejus volatile.*

Caſſia Fiſtula. — *Fructus.*

Caſſia Senna. — *Folia.*
Senna.

Caſtor Fiber. — *Materia in folliculis prope anum collecta.*
Caſtoreum.

Centaurea benedicta. — *Herba.*
Carduus benedictus.

Cera alba et flava.

Cervus Elaphus. *Cornu.*
Cornu Cervi.

Cinara Scolymus. *Folia.*
Cinara hortensis.

Cinchona Caribæa. *Cortex.*

Cinchona officinalis. *Cortex.*
Cortex Peruvianus.
a. *communis.*
b. *flavus.*
c. *ruber.*

Citrus Aurantium. *Folia, Flores, aqua stillatitia et oleum volatile florum, fructûs succus, fructus immaturus, et cortex exterior.*

Citrus medica. *Fructus, cortex fructûs*
Limon. *et ejus oleum volatile.*

Coccus Cacti.
Coccinella.

Cochlearia Armoracia. *Radix.*
Raphanus rusticanus.

Cochlearia officinalis. *Herba.*

Cocos butyracea. *Oleum Nucis fixum.*
Palma.

Colchicum autumnale. *Radix.*

Colomba. *Radix.*

Conium maculatum. *Folia, Semen.*
Cicuta.

Convolvulus

Convolvulus Scammonia. *Gummi-resina.*
Scammonium.

Convolvulus Jalapa. *Radix.*
Jalapa.

Copaifera officinalis. *Resina.*
Balsamum Copaibæ.

Coriandrum sativum. *Semen.*

Crocus sativus. *Floris stigmata.*
Crocus Anglicus.

Croton Eleutheria. *Cortex.*
Cascarilla. Swartz. Prodrom.

Cucumis Colocynthis. *Fructus, cortice seminibusque abjectis.*
Colocynthis.

Cuprum.

Daphne Mezereum. *Radicis cortex.*
Mezereum.

Datura Stramonium. *Herba.*
Stramonium.

Daucus Carota. *Semen.*

Delphinium Staphiſagria. *Semen.*
Staphiſagria.

Dianthus Caryophyllus. *Flores.*
Caryophylla rubra.

Digitalis purpurea. *Folia.*

Dolichos pruriens. *Pubes leguminis rigida.*

Dorſtenia Contrajerva. *Radix.*
Contrajerva.

Ferrum.	*Limatura, Squamæ.*
Ferula Assa fœtida. *Asa fœtida.*	*Gummi-resina.*
Ficus Carica.	*Fructus.*
Fraxinus ornus. *Manna.*	*Succus concretus.*
Gambogia.	*Gummi-resina.*
Gentiana centaurium. *Centaurium minus.*	*Summitates florentes.*
Gentiana lutea.	*Radix.*
Geoffræa inermis.	*Cortex.*
Glycyrrhiza glabra.	*Radix, Extractum.*

Gratiola officinalis. *Herba.*

Guajacum officinale. *Lignum,*
Gummi-resina.

Hæmatoxylum Campechianum. *Lignum.*
Lignum Campechense.

Helleborus niger. *Radix.*
Melampodium.

Hordeum distichon. *Semen omni cortice nudatum.*
Hordeum.

Hydrargyrus.
Argentum vivum.
Mercurius.

Hyoscyamus niger. *Herba, Semen.*

Hyssopus officinalis. *Herba.*

Ipecacuanha.	*Radix.*
Iris Florentina.	*Radix.*
Juniperus communis.	*Baccæ.*
Juniperus Lycia.	*Gummi-reſina.*
Olibanum.	
Juniperus Sabina.	*Folia.*
Sabina.	
Kino.	*Gummi-reſina.*
Gummi rubrum aſtringens Gambienſe.	Obſ. Med. Lond.
Lactuca viroſa.	*Folia.*
Lavandula Spica.	*Spicæ florentes.*
Laurus Camphora.	*Camphora.*

Laurus Caſſia. *Caſſia lignea.*	*Cortex, Flores nondum expliciti.*
Laurus Cinnamomum. *Cinnamomum.*	*Cortex.*
Laurus nobilis.	*Folia, Baccæ, baccarum oleum fixum.*
Laurus Saſſafras. *Saſſafras.*	*Lignum, radix, ejusque cortex.*
Leontodon Taraxacum. *Taraxacum.* *Dens Leonis.*	*Herba, Radix.*
Linum uſitatiſſimum.	*Semen, ejusque oleum fixum.*
Lobelia ſyphilitica.	*Radix.*
Malva ſylveſtris.	*Herba, Flores.*

Marrubium

Marrubium vulgare.	*Herba.*
Mel.	
Melaleuca Leucadendron. *Cajeputa.*	*Oleum volatile.*
Melissa officinalis.	*Folia.*
Meloe vesicatorius. *Cantharis.*	
Mentha Piperita.	*Herba.*
Mentha Pulegium. *Pulegium.*	*Herba.*
Menyanthes trifoliata. *Trifolium palustre.*	*Folia.*
Mimosa Catechu. *Catechu.* *Terra Japonica.*	*Extractum ligni.*

Mimosa Nilotica. *Gummi.*
Gummi Arabicum.

Momordica Elaterium. *Fructus recens submaturus.*
Elaterium.

Moschus moschiferus. *Materia in folliculo prope umbilicum collecta.*
Moschus.

Murias ammoniæ.
Sal ammoniacus.
Ammonia muriata.

Murias sodæ.
Soda muriata.

Myristica moschata. *Fructûs nucleus, Nux moschata dictus; Macis; hujus oleum fixum, Oleum macis dictum; Oleum volatile.*

Myroxylon

Myroxylon Peruiferum. *Balsamum.*
Balsamum Peruvianum.

Myrrha. *Gummi-resina.*

Myrtus Pimenta. *Fructus.*
Pimenta.
Piper Jamaicense.

Nicotiana Tabaçum. *Folia.*

Nitras potassæ.
Nitrum.

Olea Europæa. *Fructûs oleum fixum.*
Oliva.

Origanum Majorana. *Herba.*
Majorana.

Ovis Aries. *Adeps.*
Sevum ovillum.

Oxidum arſenici.
Arſenicum.

Oxidum plumbi album.
Ceruſſa.

Oxidum plumbi rubrum.
Minium.

Oxidum plumbi ſemi-vitreum.
Lithargyrus.

Oxidum zinci impurum.
Tutia.

Papaver ſomniferum. *Capſula, et ſuccus*
Opium. *ſpiſſatus.*

Phyſeter macrocephalus. *Sevum.*
Sperma Ceti.

Pimpinella

Pimpinella Anisum. *Anisum.*	*Semen.*
Pinus Abies. *Pix Burgundica.*	*Resina.*
Pinus balsamea. *Balsamum Canadense.*	*Resina.*
Pinus Larix. *Terebinthina Veneta.*	*Resina, et oleum volatile.*
Pinus sylvestris. *Pix liquida.*	*Resina.*
Piper longum.	*Fructus.*
Piper nigrum.	*Fructus.*
Pistacia Lentiscus. *Mastiche.*	*Resina.*

Plumbum.

Polygala Senega. *Radix.*
Seneka.

Polygonum Biſtorta. *Radix.*
Biſtorta.

Polypodium Filix mas. *Radix.*
Filix mas.

Prunus domeſtica. *Fructus.*
Prunus Gallica.

Pterocarpus Draco. *Reſina.*
Sanguis Draconis.

Pterocarpus Santolinus. *Lignum.*
Santalum rubrum.

Punica Granatum. *Cortex Fructûs;*
Granata malus. *Flores pleni,*
Balauſtia dicti.

Quaſſia

Quassia excelsa.	*Lignum.*
Quassia Simaruba. *Simarouba.*	*Cortex.*
Quercus Cerris. *Galla.*	*Cynipkis nidus.*
Quercus Robur.	*Cortex.*
Rhamnus catharticus. *Spina cervina.*	*Baccarum succus.*
Rheum palmatum. *Rhabarbarum.*	*Radix.*
Rhododendron Chrysanthum.	*Folia.*
Rhus Toxicodendron. *Toxicodendron.*	*Folia.*

Ricinus communis. *Semen, et ejus oleum fixum.*

Rosa canina. *Fructus recens.*
Cynosbatus.

Rosa centifolia. *Petala.*
Rosa pallida.

Rosa Gallica. *Petala.*
Rosa rubra.

Rosmarinus officinalis. *Summitates florentes.*

Rubia Tinctorum. *Radix.*

Rumex acetosa. *Folia.*
Acetosa.

Ruta graveolens. *Herba.*

Saccharum Officinarum. *Saccharum.*

Saccharum.

a. non purificatum.

b. purissimum.

Sagapenum. *Gummi-resina.*

Salvia officinalis. *Folia.*

Sambucus nigra. *Flores, Baccæ, Cortex.*

Sapo. *Ex oleo olivarum*

Sapo albus Hispanus. et soda confectus.

Scilla maritima. *Radix.*

Sinapis alba. *Semen.*

Sisymbrium Nasturtium. *Herba.*

Nasturtium aquaticum.

Smilax

Smilax Sarſaparilla. *Radix.*
Sarſaparilla.

Spartium ſcoparium. *Summitates.*
Geniſta.

Spigelia Marilandica. *Radix.*

Spongia officinalis.

Stannum. *Limatura et Pulvis*

Styrax Benzoin. *Balſamum.*
Benzoinum.

Styrax officinalis. *Balſamum.*

Sub-Acetis cupri.
Ærugo.

Succinum.

Sulphas

Sulphas aluminæ.
Alumen.

Sulphas cupri.
Cuprum vitriolatum.
Vitriolum cœruleum.

Sulphas magnefiæ.
Magnefia vitriolata.
Sal catharticus amarus.

Sulphur fublimatum.
Sulphuris flores.

Sulphuretum antimonii.
Antimonium.

Sulphuretum hydrargyri rubrum.
Cinnabaris factitia.

Super-Tartris potaffæ impurus.
Tartarus crudus.

Super-

Super-Tartris potassæ.	
Tartarus purificatus.	
Crystalli Tartari.	
Sus Scrofa.	*Adeps.*
Axungia porcina.	
Swietenia febrifuga.	*Cortex.*
Swietenia Mahagoni.	*Cortex.*
Tamarindus Indica.	*Fructus conditus.*
Tanacetum vulgare.	*Folia, Flores.*
Toluifera Balsamum.	*Balsamum.*
Balsamum Tolutanum.	
Tormentilla erecta.	*Radix.*
Tussilago Farfara.	*Folia, Flores.*
Valeriana officinalis.	*Radix.*

Veratrum

Veratrum album. *Radix.*
Helleborus albus.

Viola odorata. *Flores.*

Vitis vinifera. *Fructus ſiccatus, ejusque ſuccus fermentatus.*
Uva paſſa.
Vinum album Hiſpanum.

Ulmus campeſtris. *Cortex interior.*

Wintera aromatica. *Cortex.*
Winteranus cortex.

Zincum.

PARS II.

MEDICAMENTA PRÆPARATA ET COMPOSITA.

MEDICAMENTA

PRÆPARATA ET COMPOSITA.

CAP. I.

SIMPLICIUM QUORUNDAM MEDICAMENTORUM PRÆPARATIONES.

CARBONAS CALCIS PRÆPARATUS: olim, CRETA PRÆPARATA, et CANCRORUM LAPILLI; vulgo, OCULI CANCRORUM PRÆPARATI.

CARBONAS CALCIS, ſive mollior, vulgo Creta dictus, ſive durior, vulgo Lapilli et Oculi Cancrorum dictus, in mortario

 tario

tario ferreo in pulverem tritus, et super porphyriten cum pauxilla aqua lævigatus, indatur vasi amplo: tum affundatur aqua, quæ, vase sæpius agitato, polline onusta elutrietur. Quiescente aquâ, subsidet pulvis subtilis, exsiccandus.

Pulvis crassus quem aqua sustinere nequit iterum lævigetur, et eodem tractetur modo.

CARBONAS FERRI PRÆPARATUS; olim, Rubigo Ferri Præparata.

Ferri limatura purificata sæpius aquâ humectetur, ut fatiscat in rubiginem, quæ in pollen teratur.

CARBONAS ZINCI IMPURUS PRÆPARATUS: olim, Lapis Calaminaris Præparatus.

Carbonas Zinci impurus, ab iis qui orichalcum conficiunt torrefactus, præparatur ut Carbonas Calcis.

FERRI

FERRI LIMATURA PURIFICATA.

Imposito limaturæ cribro, admoveatur magnes, ut trans cribrum limatura ſurſum attrahatur.

FERRI OXIDUM NIGRUM PURIFICATUM: olim, Ferri Squamæ Purificatæ.

Ferri Oxidi nigri ſquamæ, ad fabrorum incudes reperiundæ, magnete admoto purificantur: Magnes enim ſquamas tenuiores, puriores, tantum attrahit, relictis craſſioribus, minus puris.

OXIDUM ZINCI IMPURUM PRÆPARATUM: olim, Tutia Præparata.

Præparatur ut Carbonas Calcis.

SULPHAS ALUMINÆ EXSICCATUS: olim, ALUMEN USTUM.

SULPHAS aluminæ in vaſe fictili vel ferreo liqueſcat et urgeatur igne, donec ebullire deſinat.

SULPHUR SUBLIMATUM LOTUM.

℞. Sulphuris ſublimati libram unam,

Aquæ libras quatuor.

SULPHUR coque paulisper ex aqua; deinde hanc aquam effunde, et, frigidâ affusâ, omne acidum ablue; denique ſulphur exſicca.

SULPHURETUM ANTIMONII PRÆPARATUM: olim, ANTIMONIUM PRÆPARATUM.

SULPHURETUM antimonii præparatur eodem modo ac Carbonas Calcis.

MEL DESPUMATUM.

Mel in balneo aquoſo liqua, et ſpumam aufer.

HERBARUM ET FLORUM EXSICCATIO.

Herbæ et flores hypocauſti vel foci communis calore leni exſiccentur, eâ quantitate tantum qua id quàm citiſſime fiat. Sic enim eorum vires optime ſervantur; cujus indicium eſt color nativus quàm perfectiſſime conſtans.

Conii maculati verò folia, et alia, materie ſubtili volatili referta, poſt exſiccationem illico conterantur, et vaſis vitreis bene obturandis reponantur.

SCILLA MARITIMA EXSICCATA.

Radicem Scillæ Maritimæ, ablatâ externâ tunicâ, tranſverſim in taleolas tenues ſeca, et leni calore exſicca. Recte exſiccatæ indicium eſt, quod friabilis reddita amaritiem et acrimoniam retinet.

PULPARUM EXTRACTIO.

Fructus qui pulpam præbere poſſunt, ſi immaturi ſint, vel maturi et ſicci, coque cum pauxilla aqua, ut molleſcant; deinde pulpam per cribrum ſetaceum exprime; poſtea in vaſe fictili coque lento igne, crebrò agitans, ne aduratur, donec mellis ſpiſſitudinem habeat.

Item

Item Cassiæ Fistulæ pulpa ex siliqua contusa excoquenda est, deinde aquam evaporando ad idoneam spissitudinem reducenda.

Fructuum maturorum et recentium pulpæ per cribrum exprimantur, nullâ coctione præmissâ.

CAP. II.

CONSERVÆ.

CONSERVA,

Corticis exterioris recentis fructûs Citri Aurantii, radulâ abraſi.

Fructus Roſæ Caninæ maturi, a ſeminibus eorumque pube ſollicitè purgati.

Petalorum Roſæ Gallicæ nondum explicitorum.

Singula in pulpam contunde, ſacchari puriſſimi triti pondere triplo inter contundendum paulatim additô.

Cap. III.

CAP. III.

SUCCI.

SUCCUS COCHLEARIÆ OFFICINALIS COMPOSITUS: vulgo, SUCCI AD SCORBUTICOS.

℞. Succi Cochleariæ Officinalis,

Siſymbrii Naſturtii, ex herbis recèns carptis expreſſi,

fructûs Citri Aurantii, ſingulorum libras duas,

Spiritûs Nucis Myriſticæ Moſchatæ libram dimidiam.

MISCE, et ſepone donec fæces ſubſederint, dein effunde.

CAP. IV.

SUCCI SPISSATI,

VULGO,

EXTRACTA.

SUCCUS SPISSATUS ACONITI NAPELLI.

Aconiti Napelli folia recentia contundantur, et ſacco cannabino incluſa comprimantur valide, ut ſuccum præbeant; qui in vaſis patulis, calefactis aquâ fervente muriate ſodæ ſaturatâ, illico redigatur ad mellis craſſioris ſpiſſitudinem.

Massa, poſtquam refrixerit, reponatur in vaſis fictilibus vitreatis, et alcohole madefactis.

Eodem modo parantur, ex ipsorum foliis,

SUCCI SPISSATI

Atropæ Belladonnæ,
Conii maculati,
Hyoscyami nigri,
Lactucæ virosæ.

SUCCUS SPISSATUS SAMBUCI NIGRÆ: vulgo, Rob Sambuci.

℞. Succi baccarum Sambuci nigræ maturarum libras quinque,

Sacchari purissimi libram unam.

Decoque leni igne ad mellis crassioris spissitudinem.

SUCCUS SPISSATUS MOMORDICÆ ELATERII: vulgo, ELATERIUM.

FRUCTUS maturos Momordicæ Elaterii ſcinde, et ſuccum leviſſime expreſſum tranſmitte per cribrum ſetaceum tenuiſſimum; deinde coque parum, et per aliquot horas ſepone, donec craſſior pars ſubſederit. Partem tenuiorem ſupernatantem effunde, et reliquam colando ſepara. Craſſiorem verò partem, quæ poſt colandum reſtat, panno linteo cooperțam leni calore exſicca.

CAP. V.

OLEA FIXA,

SIVE

EXPRESSA.

3/6 18

OLEUM AMYGDALÆ COMMUNIS.

℞. Nucleorum amygdalæ communis recentium, quantum velis.

In mortario lapideo contusa, sacculo cannabino include, et oleum torculari exprime, sine calore.

Eodem modo exprimendum est, ex ejus seminibus,

OLEUM LINI USITATISSIMI.

3/6 13

CAP. VI.

EMULSIONES.

EMULSIO AMYGDALÆ COMMUNIS.

℞. Nucleorum Amygdalæ Communis unciam unam,

Aquæ libras duas cum femiffe.

Nucleos decorticatos in mortario lapideo diligenter contunde, aquam fimul paulatim affundens; dein cola.

EMULSIO GUMMI MIMOSÆ NILOTICÆ: vulgo, Emulsio Arabica.

Fit eodem modo, additis inter nucleos contundendos mucilaginis gummi Mimofæ Niloticæ unciis duabus.

EMUL-

EMULSIO CAMPHORATA.

℞. Camphoræ ſcrupulum unum,

Nucleorum Amygdalæ Communis decorticatorum drachmas duas,

Sacchari puriſſimi drachmam unam,

Aquæ uncias ſex.

Fit eodem modo ac Emulſio Communis.

CAP. VII.

INFUSA.

INFUSUM CINCHONÆ OFFICINALIS.

℞. Pulveris corticis Cinchonæ officinalis unciam unam,

Aquæ libram unam.

Macera per horas viginti quatuor, et cola.

INFUSUM DIGITALIS PURPUREÆ.

℞. Foliorum Digitalis purpureæ ſiccatorum drachmam unam,

Aquæ bullientis uncias octo,

Spiritûs cinnamomi unciam unam.

Macera

Macera per horas quatuor, et cola.

INFUSUM GENTIANÆ LUTEÆ COMPOSITUM: vulgo, Infusum Amarum.

℞. Radicis Gentianæ luteæ unciam dimidiam,

Corticis ſiccati fructûs Citri Aurantii drachmam unam,

Seminum Coriandri ſativi drachmam dimidiam,

Alcoholis diluti uncias quatuor,

Aquæ libram unam.

Affunde primum alcohol, et, poſt tres horas, aquam; tum macera ſine calore per horas duodecim, et cola.

INFUSUM MIMOSÆ CATECHU: vulgo, INFUSUM JAPONICUM.

℞. Extracti ligni Mimoſæ Catechu drachmas duas cum ſemiſſe,

Corticis Lauri Cinnamomi drachmam dimidiam,

Aquæ bullientis uncias ſeptem,

Syrupi ſimplicis unciam unam.

MACERA extractum et corticem cum aqua, in vaſe clauſo, per horas duas; dein cola, et adde ſyrupum.

INFUSUM RHEI PALMATI.

℞. Radicis Rhei palmati unciam dimidiam,

Aquæ bullientis uncias octo,

Spiritûs Lauri Cinnamomi unciam unam.

MACERA

Macera radicem cum aqua in vafe claufo per horas duodecim; dein, addito fpiritu, cola.

INFUSUM ROSÆ GALLICÆ.

℞. Petalorum Rofæ Gallicæ ficcatorum uncias duas,

Aquæ bullientis libras quinque,

Acidi fulpharici drachmam unam,

Sacchari puriffimi uncias duas.

Macera petala cum aqua bulliente in vafe fictili quod plumbo non fit vitreatum, per horas quatuor; dein, affufo acido, liquorem cola, et adjice faccharum.

INFUSUM TAMARINDI INDICÆ cum CASSIA SENNA.

℞. Fructûs Tamarindi Indicæ conditi unciam unam,

Foliorum Cassiæ Sennæ drachmam unam,

Seminum Coriandri sativi drachmam dimidiam,

Sacchari non purificati unciam dimidiam,

Aquæ bullientis uncias octo.

In vase fictili, quod plumbo non sit vitreatum, clauso macera, subinde agitans, et post horas quatuor cola.

Fit quoque cum Cassia Senna duplice, triplice, &c.

POTIO CARBONATIS CALCIS: olim, Potio Cretacea.

℞. Carbonatis Calcis præparati unciam unam,

Sacchari puriſſimi unciam dimidiam,

Mucilaginis Gummi Mimoſæ Niloticæ uncias duas.

Tere ſimul, et dein ſenſim adde

Aquæ libras duas cum ſemiſſe,

Spiritûs Lauri Cinnamomi uncias duas.

Misce.

MUCILAGO AMYLI.

℞. Amyli unciam dimidiam,

Aquæ libram unam.

Amylum tere, paulatim addens aquam; dein coque paulisper.

MUCILAGO ASTRAGALI TRAGACANTHÆ.

℞. Gummi Aſtragali Tragacanthæ triti unciam unam,

Aquæ bullientis uncias octo.

Macera per horas viginti quatuor, et diligenter tere, ut ſolvatur gummi; dein per linteum exprime.

MUCILAGO MIMOSÆ NILOTICÆ.

℞. Gummi Mimoſæ Niloticæ triti, partem unam,

Aquæ bullientis partes duas.

Digere, ſubinde agitans, donec ſolvatur gummi; tum per linteum exprime.

AQUA CALCIS.

℞. Calcis recentis libram dimidiam.

Vasi figulino immitte, et insperge aquæ uncias quatuor, clauso vase dum calx incalescit et in pulverem dilabitur; dein affunde aquæ libras duodecim, et agitatione calcem cum aqua permisce. Postquam subsederit calx, iteretur agitatio; idque fiat decies circiter, occluso semper vase, ut liberior aëris accessus arceatur. Tandem coletur aqua per chartam, interpositis hanc inter et infundibulum baculis vitreis, ut quàm celerrime transeat aqua; quæ in lagenis probe obturatis servetur.

CAP. VIII.

DECOCTA.

DECOCTUM ALTHÆÆ OFFICINALIS.

℞. Radicis Althææ Officinalis ſiccatæ uncias quatuor,

Fructûs ſiccati Vitis viniferæ, demptis acinis, uncias duas,

Aquæ libras ſeptem.

Decoque ad libras quinque; liquorem colatum ſepone, donec fæces ſubſederint, et effunde.

DECOCTUM ANTHEMIDIS NOBILIS: vulgo, DECOCTUM CHAMÆMELI, five COMMUNE.

℞. Florum Anthemidis nobilis ficcatorum unciam unam,

Seminum Cari Carui unciam dimidiam,

Aquæ libras quinque.

COQUE per quartam horæ partem, et cola.

DECOCTUM CINCHONÆ OFFICINALIS: vulgo, DECOCTUM CORTICIS PERUVIANI.

℞. Corticis Cinchonæ officinalis in pulverem triti unciam unam,

Aquæ libram unam cum femiffe.

COQUE

Coque per horæ partem ſextam in vaſe operto, et liquorem adhuc calentem cola.

DECOCTUM DAPHNES MEZEREI.

℞. Corticis radicis Daphnes Mezerei drachmas duas,

Radicis Glycyrrhizæ glabræ contuſæ unciam dimidiam,

Aquæ libras tres.

Decoque leni igne ad libras duas, et cola.

DECOCTUM GEOFFRÆÆ INERMIS.

℞. Corticis Geoffrææ inermis in pulverem triti unciam unam,

Aquæ libras duas.

Coque

COQUE leni igne ad libram unam, et cola.

DECOCTUM GUAJACI OFFICINALIS COMPOSITUM: vulgo, DECOCTUM LIGNORUM.

℞. Scobis Ligni Guajaci officinalis uncias tres,

Fructûs ſiccati Vitis viniferæ uncias duas,

Radicis Lauri Saſſafras,

——— Glycyrrhizæ glabræ, utriuſque unciam unam,

Aquæ libras decem.

DECOQUE aquam cum ligno guajaci et fructu vitis viniferæ, leni igne, ad libras quinque, ſub finem adjiciens radices; dein cola ſine expreſſione.

DECOCTUM HORDEI DISTICHI.

℞. Seminum decorticatorum Hordei diſtichi (linguâ vernaculâ Pearl-Barley) uncias duas,

Aquæ libras quinque.

Primum farina hordeo adhærens aquâ frigidâ abluatur; tum hordeum cum aquæ libra circiter dimidia aliquantulum coquatur, ut materia colorans extrahatur; quâ abjectâ, hordeum ita purificatum quinque aquæ bullientis libris addatur; dein hæc ad dimidiam coquatur, et coletur.

DECOCTUM POLYGALÆ SENEGÆ.

℞. Radicis Polygalæ Senegæ unciam unam,

Aquæ libras duas.

Decoque ad uncias ſexdecim, et cola.

DE-

DECOCTUM SMILACIS SARSAPARILLÆ.

℞. Radicis Smilacis Sarſaparillæ conciſæ uncias ſex,

Aquæ libras octo.

DIGERE per duas horas, calore circiter 195°, dein radicem exime et contunde; contúſam liquori redde, et decoque, leni igne, ad quatuor libras; tum exprime et cola.

CAP. IX.

SYRUPI.

SYRUPUS SIMPLEX, ſive COMMUNIS.

℞. Sacchari puriſſimi triti partes quindecim,

Aquæ partes octo.

Leni calore liquetur ſaccharum, et coquatur paululum, ut fiat ſyrupus.

SYRUPUS ACIDI ACETOSI.

℞. Acidi Acetoſi libras duas cum ſemiſſe,

Sacchari puriſſimi libras tres cum ſemiſſe.

Coque ut fiat ſyrupus.

SY-

SYRUPUS ALTHÆÆ OFFICINALIS.

℞. Radicis Althææ officinalis recentis concisæ libram unam,

Aquæ libras decem,

Sacchari puriſſimi libras quatuor.

Coque aquam cum radice ad dimidium, et validè exprimens, cola. Liquorem colatum ſepone, ut fæces ſubſidant, et defæcato adde ſaccharum; dein coque, ut fiat ſyrupus.

SYRUPUS AMOMI ZINGIBERIS.

℞. Radicis Amomi Zingiberis tritæ uncias tres,

Aquæ bullientis libras quatuor,

Sacchari puriſſimi libras ſeptem cum ſemiſſe.

Macera radicem in aqua, vaſe clauſo, per horas viginti quatuor; dein liquori colato adde ſaccharum contritum, ut fiat ſyrupus.

SYRUPUS CITRI AURANTII.

℞. Corticis exterioris recentis fructûs Citri Aurantii uncias ſex,

Aquæ bullientis libras tres,

Sacchari puriſſimi libras quatuor.

Macera corticem in aqua per horas duodecim; dein liquori colato adde ſaccharum contritum, leni calore adhibito, ut fiat ſyrupus.

SYRUPUS CITRI MEDICÆ: olim, Syrupus Limonum.

℞. Succi fructûs Citri medicæ, poſtquam fæces ſubſederint colati, partes tres,

Sacchari puriſſimi partes quinque.

Solvatur

Solvatur ſaccharum ut fiat ſyrupus.

SYRUPUS COLCHICI AUTUMNALIS.

℞. Radicis Colchici autumnalis recentis, in fruſta tenuia ſectæ, unciam unam,

Acidi acetoſi uncias ſexdecim,

Sacchari puriſſimi uncias viginti ſex.

Macera radicem in acido per biduum, vas ſubinde agitans, dein leniter exprimens cola. Liquori colato adde ſaccharum contritum, et coque paululum ut fiat ſyrupus.

SYRUPUS DIANTHI CARYOPHYLLI.

℞. Petalorum Dianthi Caryophylli recentium, unguibus reſectis, libram unam,

Aquæ bullientis libras quatuor,

Sacchari puriſſimi libras ſeptem.

Macera petala in aqua per horas duodecim; dein liquori colato adde ſaccharum contritum; quod ſolvatur leni calore, ut fiat ſyrupus.

SYRUPUS PAPAVERIS SOMNIFERI.

℞. Capſularum Papaveris ſomniferi ſiccatarum, ſeminibus exemptis, libras duas,

Aquæ bullientis libras triginta,

Sacchari puriſſimi libras quatuor.

Macera capſulas conciſas in aqua per horas duodecim; dein coque donec tertia tantum pars liquoris ſuperſit; tum validè exprimens cola. Liquorem colatum coque ad dimidium, et iterum cola; addito

addito demum ſaccharo, coque paululum ut fiat ſyrupus.

SYRUPUS RHAMNI CATHARTICI.

℞. Succi defæcati baccarum maturarum Rhamni cathartici, partes duas,

Sacchari puriſſimi partem unam.

Coque ut fiat ſyrupus.

SYRUPUS ROSÆ GALLICÆ.

℞. Petalorum ſiccatorum Roſæ Gallicæ uncias ſeptem,

Aquæ bullientis libras quinque,

Sacchari puriſſimi libras ſex.

Macera petala in aqua per horas duodecim; dein coque paululum et cola. Liquori colato adde ſaccharum, et coque iterum paululum ut fiat ſyrupus.

SYRUPUS ROSÆ CENTIFOLIÆ.

℞. Petalorum recentium Rosæ centifoliæ libram unam,

Aquæ bullientis libras quatuor,

Sacchari puriſſimi libras tres.

Macera petala in aqua per horas duodecim; dein liquori colato adde ſaccharum, et demum coque ut fiat ſyrupus.

SYRUPUS SCILLÆ MARITIMÆ.

℞. Aceti Scillæ maritimæ libras duas,

Sacchari puriſſimi contriti libras tres cum ſemiſſe.

Solvatur leni calore ſaccharum, ut fiat ſyrupus.

SYRUPUS TOLUIFERÆ BALSAMI: vulgo, SYRUPUS BALSAMICUS.

℞. Syrupi communis libras duas,

Tincturæ Toluiferæ Balſami unciam unam.

SYRUPO recèns parato, et ab igne remoto, cum penè refrixerit, immiſce paulatim tincturam, aſſiduè agitans.

SYRUPUS VIOLÆ ODORATÆ.

℞. Florum recentium Violæ odoratæ libram unam,

Aquæ bullientis libras quatuor,

Sacchari puriſſimi libras ſeptem cum ſemiſſe.

Macera flores in aqua per horas viginti quatuor, vase vitreo vel fictili vitreato clauso; dein cola sine expressione, et liquori colato adde saccharum contritum ut fiat syrupus.

Cap. X.

CAP. X.

V I N A.

VINUM ALOES SOCOTORINÆ: vulgo, TINCTURA SACRA.

℞. Gummi-resinæ Aloes Socotorinæ, in pulverem tritæ unciam unam,

Seminum Amomi repentis,

Radicis Amomi Zingiberis, utriusque contusi drachmam unam,

Vini albi Hispani libras duas.

DIGERE per dies septem, subinde agitans, et cola.

VINUM

VINUM GENTIANÆ COMPOSITUM: vulgo, VINUM AMARUM.

℞. Radicis Gentianæ luteæ unciam dimidiam,

Corticis Cinchonæ officinalis unciam unam,

Corticis ſiccati fructûs Citri Aurantii drachmas duas,

Corticis Canellæ albæ drachmam unam,

Alcoholis diluti uncias quatuor,

Vini albi Hiſpani libras duas cum ſemiſſe.

RADICI atque Corticibus conciſis et contuſis affunde primùm alcohol dilutum; et, poſt horas viginti quatuor, adde vinum; tum macera per dies ſeptem, et cola.

VINUM IPECACUANHÆ.

℞. Radicis Ipecacuanhæ contusæ unciam unam,

Vini albi Hispani uncias quindecim.

Macera per dies septem, et per chartam cola.

VINUM NICOTIANÆ TABACI.

℞. Foliorum Nicotianæ Tabaci unciam unam,

Vini albi Hispani libram unam.

Macera per dies septem, et per chartam cola.

VINUM RHEI PALMATI.

℞. Radicis Rhei palmati concisæ uncias duas,

Corticis

Corticis Canellæ albæ drachmam unam,

Alcoholis diluti uncias duas,

Vini albi Hiſpani uncias quindecim.

Macera per dies ſeptem, et per chartam cola.

CAP. XI.

ACETA.

ACETUM AROMATICUM.

℞. Summitatum Rorifmarini officinalis ficcatarum,

Foliorum Salviæ officinalis ficcatorum, utriufque uncias quatuor,

Florum Lavandulæ Spicæ ficcatorum uncias duas,

Fructuum Caryophylli aromatici drachmas duas,

Acidi acetofi deftillati libras octo.

Macera per dies feptem, et liquorem expreffum per chartam cola.

ACIDUM

ACIDUM ACETOSUM CAMPHORATUM.

℞. Acidi acetosi fortioris uncias sex,

Camphoræ unciam dimidiam,

Alcoholis quantum sufficiat.

Tere camphoram cum alcohole in pulverem; quem acido immitte, et solve.

ACETUM SCILLÆ MARITIMÆ.

℞. Radicis Scillæ maritimæ siccatæ uncias duas,

Acidi acetosi destillati libras duas cum semisse,

Alcoholis uncias tres.

Macera scillam cum acido acetoso per dies septem; dein exprime acidum, cui adde alcohol; et, cum fæces subsederint, liquorem effunde.

CAP. XII.

TINCTURÆ.

TINCTURA ALOES SOCOTORINÆ.

℞. Gummi-reſinæ Aloes Socotorinæ in pulverem tritæ unciam dimidiam,

Extracti Glycyrrhizæ glabræ unciam unam cum ſemiſſe,

Alcoholis uncias quatuor,

Aquæ libram unam.

Digere, per dies ſeptem, leni calore, in vaſe clauſo, vas ſubinde agitans: (quæ de omnibus Tincturis obſervanda ſunt).

TINC-

TINCTURA ALOES ÆTHEREA.

℞. Gummi-resinæ Myrrhæ,

Gummi-resinæ Aloes Socotorinæ, utriusque unciam unam cum semisse,

Croci Anglici unciam unam,

Spiritûs Ætheris sulphurici libram unam.

Digere myrrham cum spiritu per dies quatuor, in phiala clausa; dein adde crocum et aloen.

Digere rursus per dies quatuor, et, cum fæces subsederint, effunde tincturam.

TINCTURA ALOES cum MYRRHA.

℞. Gummi-resinæ Myrrhæ tritæ uncias duas,

Alcoholis

Alcoholis libram unam cum semisse,

Aquæ libram dimidiam.

MISCE alcohol cum aqua; tum adde myrrham, digere per dies quatuor, et demum adde

Gummi-resinæ Aloes Socotorinæ tritæ unciam unam cum semisse,

Croci Anglici unciam unam.

DIGERE rursus per triduum, et tincturam defæcatam effunde.

TINCTURA AMOMI REPENTIS.

℞. Seminum Amomi repentis uncias quatuor,

Alcoholis diluti libras duas cum semisse.

Digere per dies ſeptem, et per chartam cola.

TINCTURA ARISTOLOCHIÆ SERPENTARIÆ.

℞. Radicis Ariſtolochiæ Serpentariæ uncias duas,

Coccinellæ Cacti drachmam unam,

Alcoholis diluti libras duas cum ſemiſſe.

Digere per dies ſeptem, et per chartam cola.

TINCTURA ASSÆ FOETIDÆ.

℞. Gummi-reſinæ Ferulæ Aſſæ fœtidæ uncias quatuor,

Alcoholis libras duas cum ſemiſſe.

Digere

Digere per dies ſeptem, et per chartam cola.

TINCTURA BENZOES COMPOSITA: vulgo, Balsamum Traumaticum.

℞. Balſami Styracis Benzoes uncias tres,

Balſami Myroxyli Peruiferi uncias duas,

Gummi-reſinæ Aloes hepaticæ unciam dimidiam,

Alcoholis libras duas.

Digere per dies ſeptem, et per chartam cola.

TINCTURA CAMPHORÆ: vulgo, Spiritus Vinosus Camphoratus.

℞. Camphoræ unciam unam,

Alcoholis libram unam.

Misce ut ſolvatur camphora.

Fit quoque cum camphora duplice, triplice, &c.

TINCTURA CASSIÆ SENNÆ COMPOSITA: olim, Elixir Salutis.

℞. Foliorum Caſſiæ Sennæ uncias duas,

Radicis Convolvuli Jalapæ unciam unam,

Seminum Coriandri ſativi unciam dimidiam,

Alcoholis diluti libras tres cum ſemiſſe.

Digere per dies ſeptem; et tincturæ per chartam colatæ adde ſacchari puriſſimi uncias quatuor.

TINCTURA CASTOREI.

℞. Caſtorei Ruſſici unciam unam cum ſemiſſe,

Alcoholis libram unam.

Digere per dies ſeptem, et per chartam cola.

TINCTURA CASTOREI COMPOSITA.

℞. Caſtorei Ruſſici unciam unam,

Gummi-reſinæ Ferulæ Aſſæ fœtidæ unciam dimidiam,

Alcoholis ammoniati libram unam.

Digere per dies ſeptem, et per chartam cola.

TINCTURA CINCHONÆ OFFICINALIS.

℞. Corticis Cinchonæ officinalis in pulverem triti uncias quatuor,

Alcoholis diluti libras duas cum ſemiſſe.

DIGERE per dies ſeptem, et per chartam cola.

TINCTURA COLOMBÆ.

℞. Radicis Colombæ, in pulverem tritæ, uncias duas,

Alcoholis diluti libras duas.

DIGERE per dies ſeptem, et per chartam cola.

TINC-

TINCTURA CONVOLVULI JALAPÆ.

℞. Radicis Convolvuli Jalapæ in pulverem tritæ uncias tres,

Alcoholis diluti uncias quindecim.

Digere per dies ſeptem, et per chartam cola.

TINCTURA CROCI.

℞. Croci Anglici unciam unam,

Alcoholis diluti uncias quindecim.

Digere per dies ſeptem, et per chartam cola.

TINCTURA DIGITALIS PURPUREÆ.

℞. Foliorum ſiccatorum Digitalis purpureæ unciam unam,

Alcoholis diluti uncias octo.

Digere per dies ſeptem, et per chartam cola.

TINCTURA GENTIANÆ COMPOSITA: vulgo, Elixir Stomachicum.

℞. Radicis Gentianæ luteæ uncias duas,

Corticis ſiccati Fructûs Citri Aurantii unciam unam,

Corticis Canellæ albæ unciam dimidiam,

Coccinellæ Cacti drachmam dimidiam,

Alcoholis diluti libras duas cum ſemiſſe.

Digere per dies ſeptem, et per chartam cola.

TINC-

31 B 981

TINCTURA GUAJACI.

℞. Resinæ Guajaci officinalis libram unam,

Alcoholis libras duas cum semisse.

Digere per dies septem, et per chartam cola.

TINCTURA GUAJACI AMMONIATA.

℞. Resinæ Guajaci officinalis uncias quatuor,

Alcoholis ammoniati libram unam cum semisse.

Digere per dies septem, et per chartam cola.

TINCTURA HELLEBORI NIGRI.

℞. Radicis Hellebori nigri uncias quatuor,

Coccinellæ Cacti drachmam dimidiam,

Alcoholis diluti libras duas cum ſemiſſe.

Digere per dies ſeptem, et per chartam cola.

TINCTURA HYOSCIAMI NIGRI.

℞. Foliorum Hyoſciami nigri ſiccatorum unciam unam,

Alcoholis diluti uncias octo.

Digere per dies ſeptem, et per chartam cola.

Ʒi à Ʒii

TINTURA KINO.

℞. Gummi-resinæ Kino uncias duas,

Alcoholis diluti libram unam cum semisse.

DIGERE per dies septem, et per chartam cola.

Ʒi à Ʒii

TINCTURA LAURI CINNAMOMI.

℞. Corticis Lauri Cinnamomi uncias tres,

Alcoholis diluti libras duas cum semisse.

DIGERE per dies septem, et per chartam cola.

TINCTURA LAURI CINNAMOMI COMPOSITA: olim, TINCTURA AROMATICA.

℞. Corticis Lauri Cinnamomi,

Seminum Amomi repentis, utriuſque unciam unam,

Piperis longi drachmas duas,

Alcoholis diluti libras duas cum ſemiſſe.

DIGERE per dies ſeptem, et per chartam cola.

TINCTURA MELOËS VESICATORII: vulgo, TINCTURA CANTHARIDUM.

℞. Meloës Veſicatorii drachmam unam,

Alcoholis diluti libram unam.

Digere per dies ſeptem, et per chartam cola.

TINCTURA MIMOSÆ CATECHU: olim, Tinctura Japonica.

℞. Extracti Mimoſæ Catechu uncias tres,

Corticis Lauri Cinnamomi uncias duas,

Alcoholis diluti libras duas cum ſemiſſe.

Digere per dies ſeptem, et per chartam cola.

TINCTURA MYRRHÆ.

℞. Gummi-reſinæ Myrrhæ tritæ uncias tres,

Alcoholis uncias viginti,

Aquæ uncias decem.

Digere

Digere per dies ſeptem, et per chartam cola.

TINCTURA OPII, ſive THEBAICA: vulgo, Laudanum Liquidum.

℞. Opii uncias duas,

Alcoholis diluti libras duas.

Digere per dies ſeptem, et per chartam cola.

TINCTURA OPII AMMONIATA: olim, Elixir Paregoricum.

℞. Acidi Benzoici,

Croci Anglici, utriuſque drachmas tres,

Opii drachmas duas,

Olei volatilis Pimpinellæ Aniſi drachmam dimidiam,

Alcoholis

Alcoholis ammoniati uncias ſexdecim.

Digere per dies ſeptem, in phiala clauſa, et per chartam cola.

TINCTURA RHEI PALMATI.

℞. Radicis Rhei palmati uncias tres,

Seminum Amomi repentis unciam dimidiam,

Alcoholis diluti libras duas cum ſemiſſe.

Digere per dies ſeptem, et per chartam cola.

TINCTURA RHEI cum ALOE: olim, Elixir Sacrum.

℞. Radicis Rhei palmati drachmas decem,

Gummi-

Gummi-reſinæ Aloes Socotorinæ drachmas ſex,

Seminum Amomi repentis unciam dimidiam,

Alcoholis diluti libras duas cum ſemiſſe.

Digere per dies ſeptem, et per chartam cola.

TINCTURA RHEI cum GENTIANA*: olim, Tinctura Rhei Amara.

℞. Radicis Rhei palmati uncias duas,

Radicis Gentianæ luteæ unciam dimidiam,

Alcoholis diluti libras duas cum ſemiſſe.

Digere per dies ſeptem, et per chartam cola.

TINC-

Externally

TINCTURA SAPONIS: vulgo, LINIMENTUM SAPONACEUM.

℞. Saponis uncias quatuor,

Camphoræ uncias duas,

Olei volatilis Roriſmarini officinalis unciam dimidiam,

Alcoholis libras duas.

DIGERE ſaponem in alcohole per triduum; dein liquori colato adde camphoram et oleum, diligenter agitans.

TINCTURA SAPONIS CUM OPIO; olim, LINIMENTUM ANODYNUM.

FIT eodem modo, et ex iiſdem medicamentis, ac altera Tinctura Saponis, additâ tantùm, ab initio, Opii unciâ unâ.

TINCTURA TOLUIFERÆ BALSAMI:
olim, TINCTURA TOLUTANA.

℞. Balsami Toluiferæ Balsami unciam unam cum semisse,

Alcoholis libram unam.

DIGERE donec solvatur balsamum, et per chartam cola.

TINCTURA VERATRI ALBI.

℞. Radicis Veratri albi uncias octo,

Alcoholis diluti libras duas cum semisse.

DIGERE per dies septem, et per chartam cola.

CAP. XIII.

EXTRACTA.

I. *Per Aquam.*

EXTRACTUM GENTIANÆ LUTEÆ.

℞. Radicis Gentianæ luteæ quantum velis.

Huic concisæ et contusæ affunde aquæ destillatæ octuplum. Decoque ad dimidium, et, validè exprimens, cola. Decoctum illico per vaporationem redige ad mellis crassioris spissitudinem, in balneo aquæ ferventis muriate sodæ saturatæ.

Eodem modo parantur

EXTRACTA

Radicis Glycyrrhizæ glabræ,

——— Hellebori nigri,

Foliorum Rutæ graveolentis,

——— Cassiæ Sennæ,

Florum Anthemidis Nobilis,

Capitum Papaveris somniferi,

Ligni Hæmatoxyli Campechensis.

II. *Per Aquam et Alcohol.*

EXTRACTUM CINCHONÆ OFFICINALIS.

℞. Corticis Cinchonæ officinalis in pulverem triti libram unam,

Alcoholis libras quatuor.

Digere per dies quatuor, et effunde tincturam. Magma residuum coque ex aquæ destillatæ libris quinque per horæ quadrantem, et decoctum adhuc fervens per linteum cola: hanc coctionem et colationem cum pari quantitate aquæ destillatæ repete, et liquorem per vaporationem redige ad mellis liquidioris spissitudinem. Alcohol è tinctura destillatione abstrahe, donec similiter spissescat. Tum liquores sic inspissatos permisce, et in balneo aquæ ferventis muriate sodæ saturatæ redige ad idoneam crassitudinem.

Hoc modo paratur

EXTRACTUM RADICIS CONVOLVULI JALAPÆ.

CAP. XIV.

AQUÆ STILLATITIÆ.

AQUA DESTILLATA.

Aqua destilletur vasis mundissimis, donec ejus duo circiter trientes stillaverint.

AQUA CORTICIS CITRI AURANTII.

℞. Corticis Citri Aurantii recentis libras duas.

His affundatur aquæ tantum ut cum destillatione elicitæ fuerint libræ decem, supersit quantum sufficiat ad evitandum empyreuma. Post macerationem debitam, destillentur libræ decem.

Hoc

Hoc modo parantur aquæ ſtillatitiæ libræ decem, ex

CORTICIS FRUCTÛS CITRI MEDICÆ RECENTIS libris duabus,

CORTICIS LAURI CASSIÆ librâ unâ,

CORTICIS LAURI CINNAMOMI librâ unâ,

MENTHÆ PIPERITÆ FLORENTIS libris tribus,

MENTHÆ PULEGII FLORENTIS libris tribus,

FRUCTÛS MYRTI PIMENTÆ librâ dimidiâ,

PETALORUM ROSÆ CENTIFOLIÆ RECENTIUM libris ſex.

SINGULIS harum aquarum libris adde Alcoholis diluti unciam dimidiam.

CAP. XV.

SPIRITUS STILLATITII.

SPIRITUS CARI CARVI.

℞. Seminum Cari Carvi libram dimidiam.

Huic affunde

Alcoholis diluti libras novem.

Macera per biduum in vase clauso; dein affunde aquæ quantum sufficiat ad evitandum empyreuma, et destillatione elice libras novem.

Hoc

Hoc modo parantur Spiritûs libræ novem, ex

Corticis Lauri Cinnamomi librâ unâ,

Menthæ Piperitæ florentis librâ unâ cum ſemiſſe,

Nucis Myristicæ Moschatæ bene contritæ unciis duabus,

Fructûs Myrti Pimentæ librâ dimidiâ.

SPIRITUS JUNIPERI COMMUNIS COMPOSITUS.

℞. Baccarum Juniperi communis bene contuſarum libram unam,

Seminum Cari Carvi,

——— Anethi Fœniculi, utriuſque unciam unam cum ſemiſſe,

Alcoholis diluti libras novem.

Macera per biduum; et, addito aquæ quantum sufficiat ad evitandum empyreuma, destillatione elice libras novem.

SPIRITUS LAVANDULÆ SPICÆ.

℞. Spicarum florentium Lavandulæ Spicæ recentium libras duas,

Alcoholis libras octo.

Per destillationem calore aquæ bullientis elice libras septem.

SPIRITUS LAVANDULÆ SPICÆ COMPOSITUS.

℞. Spiritûs Lavandulæ Spicæ libras tres,

Spiritûs Rorismarini officinalis libram unam,

Corticis Lauri Cinnamomi unciam unam,

Pericarpii immaturi Caryophylli aromatici drachmas duas,

Nucis Myriſticæ Moſchatæ unciam dimidiam,

Ligni Pterocarpi Santalini drachmas tres.

Macera per dies ſeptem, et cola.

SPIRITUS RORISMARINI OFFICINALIS.

℞. Summitatum florentium Roriſmarini officinalis recentium libras duas,

Alcoholis libras octo.

Per deſtillationem calore aquæ bullientis eliciantur libræ ſeptem.

CAP. XVI.

OLEA VOLATILIA,

OLIM,

OLEA STILLATITIA, vel ESSENTIALIA.

OLEA VOLATILIA.

Herbæ Menthæ Piperitæ florentis,

Herbæ Juniperi Sabinæ,

Summitatum florentium Rorismarini officinalis,

Spicarum florentium Lavandulæ Spicæ,

Seminum Pimpinellæ Anisi,

Bac-

BACCARUM JUNIPERI COMMUNIS,

RADICIS LAURI SASSAFRAS,

FRUCTÛS MYRTI PIMENTÆ,

EODEM ferè modo parantur ac Aquæ Stillatitiæ, nisi quod hic aqua parcius adjicienda est. Semina et lignosa prius contundenda aut radenda sunt. Oleum cum aqua elicitur, et, prout levius aut gravius fuerit, vel hujus superficiei innatat, vel fundum petit, postea separandum.

PORRO, notandum est de Aquis et Oleis his Stillatitiis parandis, quod multa hîc adeò varia contingere necesse est, pro rerum bonitate, compage, anni tempestate, et similibus, ut norma certa et generalis, quæ unicuique exemplo strictius conveniat, vix possit præscribi; quocirca, omissis multis ipsius opificis judicio variandis, præcepta tantum maxime generalia traduntur.

OLEUM SUCCINI ET ACIDUM SUCCINICUM.

℞. Succini in pulverem triti,

Arenæ puræ, partes æquales.

Commixta immitte retortæ vitreæ, cujus dimidium impleant. Adaptato excipulo amplo, fiat deſtillatio ex arena, igne gradatim aucto. Primò, liquor aquoſus cum paululo olei flavi; dein, oleum flavum cum ſale acido; poſtea, oleum ſubrubrum et nigrum, deſtillabit. Liquor ex excipulo effundatur, et oleum ab aqua ſeparetur. Sal acidus à retortæ collo et excipuli lateribus collectus, inter plicas chartæ emporeticæ comprimatur, ut ab oleo adhærente liberetur; dein, ſolutione in aqua calida et cryſtallizatione, fiat purus.

OLEUM SUCCINI PURISSIMUM.

Oleum Succini e retorta vitrea, aquæ ſextuplo addito, deſtillet, donec aquæ duo trientes in excipulum tranſierint. Dein, oleum hoc volatile puriſſimum ab aqua ſeparetur, et in vaſis bene obturatis ſervetur.

OLEUM TEREBINTHINÆ VOLATILE PURISSIMUM.

℞. Olei Terebinthinæ volatilis libram unam,

Aquæ libras quatuor.

Fiat deſtillatio, quamdiu prodit oleum.

Cap. XVII.

CAP. XVII.

OLEOSA.

OLEUM AMMONIATUM: vulgo, LINIMENTUM VOLATILE.

℞. Olei Oleæ Europææ uncias duas,

Aquæ Ammoniæ drachmas duas.

MISCE.

OLEUM LINI CUM CALCE.

℞. Olei ſeminum Lini uſitatiſſimi,

Aquæ Calcis, utriuſque partes æquales.

MISCE.

OLEUM

OLEUM CAMPHORATUM.

℞. Olei Oleæ Europææ uncias duas,

Camphoræ unciam dimidiam.

Misce, ut ſolvatur Camphora.

OLEUM SULPHURATUM.

℞. Olei Oleæ Europææ uncias octo,

Sulphuris ſublimati unciam unam.

Coque leni igne, in vaſe amplo ferreo, aſſidue agitans, donec in unum coëant.

CAP. XVIII.

SALES ET SALINA.

ACIDUM ACETOSUM DESTILLATUM.

In vaſis vitreis, leni igne, deſtillent Acidi Acetoſi libræ octo. Libræ duæ primum prodeuntes, utpote nimis aquoſæ, rejiciendæ ſunt; quæ ſequuntur libræ quatuor erunt Acidum Acetoſum deſtillatum. Reliquum fundit acidum fortius, ſed igne nimis exuſtum.

ACIDUM ACETOSUM FORTE.

℞. Sulphatis Ferri exſiccati libram unam,

Acetitis Plumbi uncias decem.

Simul trita retortæ inde, et destilla ex arena, igne modico, quamdiu prodit acidum.

ACIDUM BENZOICUM.

℞. Balsami Styracis Benzoin triti quantum velis.

Inde ollæ figulinæ, cui, adaptato prius ori ejus cono chartæ, subjice lenem ignem, ut acidum sublimetur. Si hoc oleo inquinatum fuerit, solutione in aqua calida, et crystallizatione purificetur.

ACIDUM MURIATICUM.

℞. Muriatis Sodæ libras duas,

Acidi Sulphurici uncias sexdecim,

Aquæ libram unam.

Murias Sodæ primum in olla rubeſcat igne pauliſper; tum frigefactus retortæ immittatur. Dein Acidum cum aqua permiſtum et refrigeratum, Muriati Sodæ affundatur. Tandem deſtillet ex arena, igne modico, quamdiu prodit acidum.

Hujus pondus ſpecificum eſt ad pondus aquæ deſtillatæ ut 1170 ad 1000.

ACIDUM NITROSUM.

℞. Nitratis Potaſſæ puriſſimi contuſi libras duas,

Acidi Sulphurici uncias ſexdecim.

Nitrati Potaſſæ retortæ vitreæ indito affundatur Acidum, et fiat deſtillatio, ex arena, igne ſenſim aucto, donec olla ferrea obſcurè rubeat.

Hujus pondus ſpecificum eſt ad pondus aquæ deſtillatæ ut 1550 ad 1000.

ACIDUM

ACIDUM NITROSUM DILUTUM.

℞. Acidi Nitrosi,

Aquæ, pondera paria.

Misce, vapores noxios cavens.

ACIDUM NITRICUM.

℞. Acidi Nitrosi quantum velis.

Inde retortæ, et, adaptato excipulo, ignem suppone lenissimum, donec pars ruberrima transiērit, et Acidum, quod in retorta superest, factum fuerit Nitricum.

SPIRITUS ÆTHERIS NITROSI.

℞. Alcoholis libras tres,

Acidi Nitrosi libram unam.

Infunde Alcohol phialæ amplæ, in vafe aquâ frigidâ pleno pofitæ, et paulatim adde, affidue agitans, Acidum. Obturetur leviùs phiala, et in loco frigidiufculo reponatur per dies feptem; dein deftillet liquor calore aquæ bullientis, in excipulum aquâ vel nive refrigeratum, quamdiu prodibit fpiritus.

ACIDUM SULPHURICUM DILUTUM.

℞. Acidi Sulphurici partem unam,

Aquæ partes feptem.

Misce.

ACIDUM SULPHURICUM AROMATICUM.

℞. Alcoholis libras duas,

Acidi Sulphurici uncias fex.

Instilla

Instilla acidum Alcoholi paulatim. Miſturam digere calore leniſſimo, in vaſe clauſo, per triduum; dein adde

Corticis Lauri Cinnamomi unciam unam cum ſemiſſe,

Radicis Amomi Zingiberis unciam unam.

Digere rurſus in vaſe clauſo per ſex dies; dein per chartam infundibulo vitreo impoſitam cola.

ÆTHER SULPHURICUS.

℞, Acidi Sulphurici,

Alcoholis, utriuſque uncias triginta duas.

Inde Alcohol retortæ vitreæ calori ſubitaneo ferendo aptæ; dein affunde uno rivo Acidum. Miſce paulatim, le-

niter et crebro agitans; protinus tunc fiat deſtillatio ex arena, prius ad hoc opus calefacta, in excipulum aquâ vel nive refrigeratum. Ignis autem ita regatur, ut quamprimum ebulliat liquor, et ebullire pergat donec deſtillaverint unciæ ſexdecim; tum retorta ex arena amoveatur.

Liquori deſtillato adde Potaſſæ drachmas duas; dein deſtillet iterum ex retorta præalta, igne leniſſimo, in excipulum refrigeratum, donec deſtillaverint unciæ decem.

Acido in retorta poſt primam deſtillationem reſiduo ſi affundantur Alcoholis unciæ ſexdecim et iteretur deſtillatio, denuo prodibit Æther. Hocque ſæpius fieri poteſt.

ÆTHER SULPHURICUS cum ALCOHOLE.

℞. Ætheris Sulphurici partem unam,

Alcoholis

Alcoholis partes duas.

Misce.

ÆTHER SULPHURICUS cum ALCOHOLE AROMATICUS.

Fit ex iiſdem aromatis et eodem modo ac Tinctura Lauri Cinnamomi compoſita; niſi quod pro Alcohole diluto adhibetur Æther Sulphuricus cum Alcohole.

CARBONAS AMMONIÆ: olim, Ammonia Præparata.

℞. Muriatis Ammoniæ libram unam,

Carbonatis Calcis (vulgo Cretæ dicti) puriſſimi ſiccati libras duas.

Utrumque ſeorſim tritum permiſce, et ſublima ex retorta in excipulum refrigeratum.

AQUA CARBONATIS AMMONIÆ: olim, AQUA AMMONIÆ.

℞. Muriatis Ammoniæ,

Carbonatis Potaſſæ, utriuſque uncias ſexdecim,

Aquæ libras duas.

SALIBUS miſtis, et retortæ vitreæ inditis, affundatur aqua; dein fiat deſtillatio ex arena, igne ſenſim aucto, ad ſiccitatem.

AQUA AMMONIÆ: olim, AQUA AMMONIÆ CAUSTICÆ.

℞. Muriatis Ammoniæ uncias ſexdecim,

Calcis recens paratæ libras duas,

Aquæ libras ſex.

AQUÆ libræ uni in vas ferreum vel figulinum infuſæ adjice calcem contritam,

et

et vas operito per horas viginti quatuor, dum calx in pollen dilabatur, quod retortæ immitte. Huic adde Muriatem Ammoniæ in aquæ libris quinque ſolutum. Tum occluſo retortæ ore agitando permiſce. Denique fiat deſtillatio igne leniſſimo, adeò ut operantis manus retortæ admota calorem ejus facile perferre queat, in excipulum refrigeratum, donec deſtillaverint unciæ viginti. In hac deſtillatione vaſa ita conglutinanda ſunt ut vapores ſubtiliſſimi penitus cohibeantur.

ALCOHOL AMMONIATUM: ſive, SPIRITUS AMMONIÆ.

℞. Alcoholis diluti libras quatuor,

Muriatis Ammoniæ uncias quatuor,

Carbonatis Potaſſæ uncias ſex.

MISCE, et per deſtillationem, lente igne, elice libras duas.

ALCOHOL AMMONIATUM AROMATICUM: ſive, SPIRITUS AMMONIÆ AROMATICUS.

℞. Spiritûs Ammoniæ uncias octo,

Olei volatilis Roriſmarini officinalis drachmam unam cum ſemiſſe,

Olei volatilis Citri Limonis drachmam unam.

MISCE ut ſolvantur olea.

ALCOHOL AMMONIATUM FOETIDUM: ſive, SPIRITUS AMMONIÆ FOETIDUS.

℞. Spiritûs Ammoniæ uncias octo,

Gummi-reſinæ Ferulæ Aſſæ fœtidæ unciam dimidiam.

DIGERANTUR in vaſe clauſo per horas duodecim; dein deſtillent calore aquæ bullientis unciæ octo.

CARBONAS POTASSÆ.

Carbonas Potaſſæ impurus (qui Anglicè Pearl-Aſhes vocatur) crucibulo inditus rubeſcat igne, ut ſordes oleoſæ, ſi quæ adſint, urantur; dein contritus cum pari aquæ pondere, agitando bene miſceatur. Liquor, poſtquam fæces ſubſederint, in ollam ferream mundiſſimam effuſa, decoquatur ad ſiccitatem; ſal verò ſub finem aſſidue agitetur, ne vaſi adhæreat.

CARBONAS POTASSÆ PURISSIMUS: olim, Sal Tartari.

℞. Super-Tartritis Potaſſæ impuri quantum velis.

Charta bibula madefacta involutus, vel crucibulo inditus, circumjectis prunis, in maſſam nigram comburatur; quæ dein contrita in crucibulo aperto, igni mediocri

cri ſubjiciatur uſque donec alba vel ſaltem cinerea fiat; curâ adhibitâ ne liqueſcat. Tum in aqua calida ſolvatur; per linteum coletur liquor, et in vaſe ferreo mundo vaporet, ſub finem aſſiduæ agitatus cochleari ferreo ne materia fundo vaſis adhæreat. Sal albiſſimus reſtabit, qui paulo diutius ſuper ignem relinquendus eſt donec vaſis fundus fere rubeſcat. Poſtremo refrigeratus in vaſis vitreis bene obturatis ſervetur.

AQUA POTASSÆ: vulgo, LIXIVIUM CAUSTICUM.

℞. Calcis recentis uncias octo,

Carbonatis Potaſſæ uncias ſex.

INJICIATUR calx in vas ferreum vel figulinum, cum aquæ calidæ unciis viginti octo. Ebullitione peractâ ſtatim addatur ſal; omnibusque bene permiſtis, vas operiatur donec frigeſcant. Frigefacta materia

materia, prius bene agitata, effundatur in infundibulum vitreum, cujus guttur linteolo puro obstructum sit. Infundibuli os superius operiatur dum tubus ejus alii vasi vitreo inseratur, ut Aqua Potassæ per linteolum in vas suppositum sensim stillet. Cùm primum stillare desiêrit, affundantur in infundibulum aquæ unciæ aliquot, sed cautè, ut ea materiam supernatet. Incipiet iterum stillare Aqua Potassæ. Sic autem iteranda est aqua affusio, donec stillaverint libræ tres, quod bidui vel tridui spatio fiet; dein liquoris partes superiores cum inferioribus agitatione misceantur; ipseque in vase bene obturato servetur.

AQUA SUPER-CARBONATIS POTASSÆ.

℞. Aquæ libras decem,

Carbonatis Potassæ purissimi unciam unam.

SOLVE,

SOLVE, et ſubjice rivo Gaſis Acidi Carbonici qui oriatur ex

Pulveris Carbonatis Calcis,

Acidi Sulphurici, utriuſque unciis tribus,

Aquæ libris tribus, gradatim et caute commiſtis.

HUIC præparationi bene convenit Apparatus Chemicus a Doctore NOOTH inventus. Quod ſi majore liquoris copiâ opus fuerit, præſtabit Apparatus Domini WOULFE.

Quo frigidior aër, quo major preſſura, eo melior fit liquor; qui in vaſis bene obturatis ſervari debet.

CARBONAS SODÆ: olim, SAL ALKALINUS FIXUS FOSSILIS PURIFICATUS.

℞. Carbonatis Sodæ impuri quantum vis.

CONTUNDE,

CONTUNDE, tum coque ex aqua donec omnis ſal aquâ diluatur. Hæc dein per chartam coletur, et in vaſe ferreo vaporet, ut poſt refrigerationem concreſcant cryſtalli.

AQUA SUPER-CARBONATIS SODÆ.

PARATUR ex Aquæ libris decem, Carbonatis Sodæ unciis duabus, eodem modo ac Aqua Super-Carbonatis Potaſſæ.

AQUA ACETITIS AMMONIÆ: vulgo, SPIRITUS MINDERERI.

℞. Carbonatis Ammoniæ triti quantum velis.

AFFUNDE Acidi Acetoſi deſtillati quantum ſatis ſit ad Ammoniam accuratè ſaturandam.

ACETIS POTASSÆ.

℞. Carbonatis Potassæ purissimi libram unam.

Coquatur, lenissimo igne, in Acidi Acetosi destillati quadruplo vel quintuplo; ac plus Acidi diversis vicibus adjiciatur, donec prioris parte aquosâ fere vaporando dissipatâ, novum Acidum additum nullam moveat effervescentiam, quod fiet consumptis Acidi libris circiter viginti; postea lentè exsiccetur. Sal impurus residuus, leni igne aliquantisper, nec justo diutius, liquefiat; dein aquâ solvatur, et per chartam coletur. Si liquefactio rite peracta fuerit, liquor colatus limpidus erit, sin minus, coloris fusci. Postea, lenissimo igne vaporet hic liquor ex vase vitreo minime profundo, sale, dum arescit, subinde moto, quo citius ad siccitatem perducatur. Acetis Potassæ

dein

dein in vase optime clauso asservari debet, ne aëre liquescat.

POTASSA: olim, CAUSTICUM COMMUNE ACERRIMUM.

℞. Aquæ Potassæ quantum velis.

IN vase ferreo mundissimo operto vaporet, donec, ebullitione finitâ, materies salina tranquillè fluat instar olei, quod fit antequam vas igne rubescat. Dein effundatur super laminam ferream nitidam: in massulas secetur antequam durescat, et illico in phiala bene obturanda reponatur.

POTASSA cum CALCE: olim, CAUSTICUM COMMUNE MITIUS.

℞. Aquæ Potassæ quantum velis.

VAPORET ad tertiam partem in vase ferreo operto; dein admisceatur, Calcis

recèns extinctæ quantum sufficiat ad pultis solidioris crassitudinem dandam, quæ in vase obturato servetur.

SULPHAS POTASSÆ: olim, TARTARUM VITRIOLATUM.

℞. Acidi Sulphurici, sextuplo Aquæ pondere diluti, quantum velis.

INFUNDE in vas vitreum amplum, et paulatim instilla Carbonatis Potassæ purissimi, sextuplo Aquæ pondere soluti, quantum satis sit ad acidum prorsus saturandum. Effervescentiâ peractâ, liquorem per chartam cola, et, post idoneam exhalationem, sepone, ut crystalli formentur.

COMMODE fit quoque Sulphas Potassæ ex residuo, post destillatum Acidum Nitrosum, in aqua calida soluto, et Carbonate Potassæ saturato.

SULPHAS

SULPHAS POTASSÆ cum SULPHURE: olim, SAL POLYCHRESTUS.

℞. Nitratis Potassæ in pulverem triti,

Sulphuris sublimati, pondera æqualia.

BENE commista injiciantur paulatim in crucibulum igne rubens. Peractâ deflagratione, frigescat sal, et in vase vitreo bene obturando reponatur.

TARTRIS POTASSÆ: olim, TARTARUM SOLUBILE.

℞. Carbonatis Potassæ libram unam,

Super-Tartritis Potassæ libras tres, vel quantum satis sit,

Aquæ bullientis libras quindecim.

CARBONATI Potassæ in Aqua soluto Super-Tartritem Potassæ in pulverem te-

nuem tritum paulatim adjice, quamdiu effervescentiam excitet, quæ fere desinit antequam triplum Carbonatis Potassæ pondus injectum fuerit; dein liquorem refrigeratum per chartam cola, et post idoneam exhalationem sepone ut crystalli formentur.

TARTRIS POTASSÆ et SODÆ: olim, SAL RUPELLENSIS.

PARATUR è Carbonate Sodæ et Super-Tartrite Potassæ, eodem modo ac Tartris Potassæ.

PHOSPHAS SODÆ.

℞. Ossium ad albedinem crematorum, et in pulverem contusorum, libras decem,

Acidi Sulphurici libras sex,

Aquæ libras novem.

PULVEREM

Pulverem in vaſe figulino cum Acido Sulphurico permiſce; dein adde aquam et iterum permiſce; tunc vas in aquæ bullientis vapore fove per tres dies, quibus elapſis, materiam aliis aquæ bullientis libris novem additis dilue, et per pannum linteum fortem cola, aquam bullientem paulatim ſuperinfundens, donec acidum omne eluatur. Liquorem colatum ſepone, ut fæces ſubſidant, a quibus effunde; dein, vaporatione, minue ad libras novem. Huic liquori a fæcibus effuſo, et calefacto in vaſe figulino, adde Carbonatem Sodæ ex aqua calida ſolutum, donec ceſſet effervefcentia. Tum cola, et ſepone, ut cryſtalli formentur. His exemptis, liquori, ſi opus ſit, adde paululum Carbonatis Sodæ, ut Acidum Phoſphoricum accuratè ſaturetur, et vaporatione ad cryſtallos iterum formandas diſpone, quamdiu hæ prodierint. Cryſtalli demum in vaſe bene obturando reponantur.

SULPHAS SODÆ: olim, SAL GLAUBERI.

Salem acidulum post destillationem Acidi Muriatici residuum solve in Aqua, et, admista Cretâ ad absumendum superfluum Acidum, sepone donec fæces subsidant; tum liquorem ab his effusum, et per chartam colatum, vaporatione dispone, ut crystalli formentur.

SULPHURETUM POTASSÆ: olim, HEPAR SULPHURIS.

℞. Carbonatis Potassæ,

Sulphuris Sublimati, utriusque uncias octo.

SIMUL trita crucibulo amplo loricato indantur, et operculo adaptato, prunisque caute subjectis, tandem liquescant.

CRUCIBULO, postquam refrixerit, fracto, aufer Sulphuretum, et in phiala bene obturanda repone.

HYDRO-

HYDRO-SULPHURETUM AMMONIÆ.

℞. Aquæ Ammoniæ uncias quatuor.

Subjiciantur, in apparatu chemico, rivo Gaſis quod oriatur ex

Sulphureti Ferri unciis quatuor,

Acidi Muriatici unciis octo, prius aquæ libris duabus et ſemiſſe dilutis.

Commode ſit Sulphuretum Ferri, ad hunc uſum, ex

Limaturæ Ferri Purificati partibus tribus,

Sulphuris Sublimati parte una,

commiſtis, et in crucibulo cooperto igni modico ſubjectis donec in maſſam coëant.

MURIAS

MURIAS BARYTÆ.

℞. Sulphatis Barytæ libras duas,

Carbonis Ligni in pulverem triti uncias quatuor.

Igne torreatur Sulphas, quo facilius teratur in pulverem tenuiſſimum, cui bene admiſcendus eſt Pulvis Carbonis Ligni. Indatur materies crucibulo, et, adaptato operculo, urgeatur igne forti per horas ſex. Materia bene trita immittatur Aquæ bullientis libris ſex in vaſe vitreo vel figulino, et agitatione permiſceatur, aëris aditu, quantum fieri poſſit, occluſo.

Stet vas in balneo vaporis, donec ſubſederit pars non ſoluta; dein effundatur liquor. Illi affundantur denuo aquæ bullientis libræ quatuor; quæ poſt agitationem et ſubſidentiam priori liquori addantur.

addantur. Liquori adhuc calido, vel ſi friguerit iterum calefacto, inſtilletur Acidum Muriaticum, quamdiu moverit effervefcentiam. Dein coletur, et vaporet ut cryſtalli formentur.

SOLUTIO MURIATIS BARYTÆ.

℞. Muriatis Barytæ partem unam,

Aquæ Deſtillatæ partes tres.

Solve.

SOLUTIO MURIATIS CALCIS.

℞. Carbonatis Calcis puri (nempe, Marmoris albi) in fruſta contuſi uncias novem,

Acidi Muriatici uncias ſexdecim,

Aquæ uncias octo.

Misce

Misce acidum cum aqua, et adde paulatim fruſta Carbonatis Calcis. Effervеſcentiâ finitâ, digere per horam. Liquorem effunde, et per vaporationem ad ſiccitatem redige. Reſiduum ſolve ex ſeſquialtero pondere aquæ; et demum cola.

CARBONAS MAGNESIÆ: olim, Magnesia Alba.

℞. Sulphatis Magneſiæ,

Carbonatis Potaſſæ, utriuſque pondera æqualia.

Separatim aquæ calidæ duplo ſolvantur, et vel colentur, vel aliter à fæcibus purificentur; dein miſceantur, et protinus adjiciatur aquæ bullientis octuplum. Bulliat liquor pauliſper, et ſimul agitetur; tum quieſcat donec calor paululum imminuatur, dein coletur per linteum, ſuper quod reſtabit Carbonas

Magneſiæ, qui aquâ purâ lavetur donec prorſus inſulſus fiat.

MAGNESIA: olim, MAGNESIA USTA.

CARBONAS Magneſiæ crucibulo inditus, igne rubeſcat per horas duas; dein in vaſis vitreis bene obturatis ſervetur.

CAP. XIX.

CAP. XIX.

METALLICA.

NITRAS ARGENTI: olim, Causticum Lunare.

℞. Argenti puriſſimi in laminas extenſi et conſciſſi uncias quatuor,

Acidi Nitroſi diluti uncias octo,

Aquæ deſtillatæ uncias quatuor.

Solvatur Argentum in phiala, leni calore, et vaporet ſolutio ad ſiccitatem. Tum maſſa crucibulo amplo indita imponatur igni, qui primò lenis, ſenſim augeatur, donec maſſa fluat inſtar olei; dein effundatur in fiſtulas ferreas calefactas

factas et sebo inunctas; denique in vase vitreo optime clauso reponatur.

SULPHURETUM ANTIMONII PRÆPARATUM: olim, ANTIMONIUM PRÆPARATUM.

SULPHURETUM ANTIMONII præparatur eodem modo ac Carbonas Calcis.

OXIDUM ANTIMONII cum SULPHURE VITRIFICATUM: olim, VITRUM ANTIMONII.

SULPHURETUM ANTIMONII in pulverem crassum, arenæ instar, contritum, insterne super vas fictile, non vitreatum, parum profundum, ignemque suppone lenem, ut Sulphuretum Antimonii lentè calefiat; pulverem interea assidue agitans, ne in grumos coëat. Vapores albi, sulphur olentes, ex eo orientur. Cùm hi, eodem calore deficiant, ignem auge aliquantum, ut iterum vapores exhalet;

et

et ſic perge, donec pulvis igne tandem rubeſcens vapores non amplius exhalet. Pulvis ille crucibulo inditus, liqueſcat igne violento, donec vitri liquefacti ſpeciem induat; dein effundatur ſuper laminam æneam calefactam.

OXIDUM ANTIMONII VITRIFICATUM cum CERA: olim, VITRUM ANTIMONII CERATUM.

℞. Ceræ Flavæ partem unam,

Oxidi Antimonii cum Sulphure vitrificati, partes octo.

CERÆ in vaſe ferreo liquefactæ injice Oxidum in pulverem tritum, et torre, igne leni, per horæ quadrantem, ſpathulâ aſſidue agitans; dein effunde materiam, quæ frigefacta teratur in pulverem.

OXIDUM

OXIDUM ANTIMONII cum PHOSPHATE CALCIS: olim, PULVIS ANTIMONIALIS.

℞. Sulphureti Antimonii, in pulverem craſſum triti,

Cornu Cervi raſi, utriuſque partes æquales.

MISCE et injice ollæ ferreæ latæ, igne rubenti, et aſſidue agita, donec in materiam coloris cinerei urantur, quam ab igne aufer, et in pulverem tere, et crucibulo loricato immitte; huic crucibulum aliud inverſum, cui parvum ſit in fundo foramen, luto conjunge, ignemque ſubminiſtra, quem ad calorem candentem ſenſim auge, et ita auctum ſerva per horas duas; denique materiam frigefactam in pulverem ſubtiliſſimum tere.

Action the Sulphur of the Antimon[y]
is entirely expelled while the Antimo[ny]
is oxidised and the gelatine of the Harts[horn]
is destroyed and nothing but Phosphat[e]
therefore the oxid of A

SULPHURETUM ANTIMONII PRÆCIPITATUM.

℞. Aquæ Potaſſæ libras quatuor,

Aquæ libras tres,

Sulphureti Antimonii Præparati libras duas.

Coque in olla ferrea aperta, ſuper ignem lenem, per horas tres, ſæpe agitans ſpatulâ ferreâ, et addens aquam prout opus fuerit. Liquorem calidum cola per linteum duplex, et colato adde Acidi Sulphurici diluti quantum ſatis ſit ad dejiciendum Sulphuretum, aquâ calidâ diligenter lavandum.

OXIDUM ANTIMONII cum SULPHURE per NITRATEM POTASSÆ: olim, CROCUS ANTIMONII.

℞. Sulphureti Antimonii,

Nitratis Potaſſæ, utriuſque pondera paria.

SEPARATIM

Separatim trita, et bene commiſta injiciantur in crucibulum candens. Peractâ deflagratione, materia rubeſcens a cruſta albicante ſeparetur, et teratur in pulverem, qui ſæpius lavetur aquâ calidâ, donec hæc inſipida maneat.

MURIAS ANTIMONII.

℞. Oxidi Antimonii cum Sulphure per Nitratem Potaſſæ,

Acidi Sulphurici, utriuſque libram unam;

Muriatis Sodæ exſiccati libras duas.

Acidum Sulphuricum retortæ infunde, paulatim addens Muriatem Sodæ et Oxidum Antimonii, prius commiſta; dein ſuper arenam calidam fiat deſtillatio. Materia deſtillata per aliquot dies aëri pateat, ut liqueſcat; tum effundatur è fæcibus pars liquida.

TARTRIS ANTIMONII: olim, TARTARUS EMETICUS.

℞. Oxidi Antimonii cum Sulphure per Nitratem Potaſſæ partes tres,

Super-Tartritis Potaſſæ partes quatuor,

Aquæ deſtillatæ partes triginta duas.

COQUE in vaſe vitreo per horæ quadrantem; per chartam cola; et liquorem colatum ſepone ut formentur cryſtalli.

VINUM TARTRITIS ANTIMONII: olim, VINUM ANTIMONIALE.

℞. Tartritis Antimonii grana viginti quatuor,

Vini albi Hiſpani libram unam.

MISCE, ut ſolvatur Tartris Antimonii.

AMMO-

AMMONIARETUM CUPRI: olim, CUPRUM AMMONIACUM.

℞. Sulphatis Cupri puriſſimi partes duas,

Carbonatis Ammoniæ partes tres.

DILIGENTER ſubige in mortario vitreo, donec, finitâ omni effervefcentiâ, placide coëant in maſſam violaceam, quæ chartâ bibulâ obvoluta, primo ſuper lapidem cretaceum, dein leni calore exſiccata, in vaſe vitreo bene obturato ſervetur.

SOLUTIO SULPHATIS CUPRI COMPOSITA: olim, AQUA STYPTICA.

℞. Sulphatis Cupri,

Sulphatis Aluminæ, utriuſque uncias tres,

Aquæ libras duas,

Acidi Sulphurici unciam unam cum ſemiſſe.

Sulphates in aqua coque ut solvantur, dein liquori per chartam colato adde Acidum.

FERRI LIMATURA PURIFICATA.

Imposito Limaturæ cribro, admoveatur magnes, ut trans cribrum limatura sursum attrahatur.

Dose from ʒss to ʒi.

CARBONAS FERRI: olim, Ferri Rubigo.

Ferri Limatura purificata sæpius aquâ humectetur ut fatiscat in rubiginem, quæ in pollen teratur.

Dose from ʒss to ʒi

CARBONAS FERRI PRÆCIPITATUS.

℞. Sulphatis Ferri uncias quatuor,

Carbonatis Sodæ uncias quinque,

Aquæ libras decem.

Solve

Solve Sulphatem Ferri in aqua; dein adde Carbonatem Sodæ prius ex aquæ quantum ſatis ſit ſolutum, et miſce bene.

Lavetur Carbonas Ferri, qui fundum petit, aquâ tepidâ, et poſtea ſiccetur.

FERRI OXIDUM NIGRUM PURIFICATUM: olim, Ferri Squamæ purificatæ.

Ferri Oxidi Squamæ, ad fabrorum incudes reperiundæ, Magnete admoto purificantur. Magnes enim ſquamas tenuiores, puriores, tantum attrahit, relictis craſſioribus minus puris.

SULPHAS FERRI.

℞. Limaturæ Ferri purificatæ uncias ſex,

Acidi Sulphurici uncias octo,

Aquæ libras duas cum ſemiſſe.

Miſce, et peractâ effervefcentiâ, digere aliquamdiu ſuper arenam calidam;

deinde liquorem effusum per chartam cola, et post idoneam exhalationem sepone ut crystalli formentur.

Not Medicinally employ'd

SULPHAS FERRI EXSICCATUS.

℞. Sulphatis Ferri quantum velis.

In vase fictili, non vitreato, calefiat igne modicò donec albescat et siccissimus fiat.

scarcely Medicinally employ'd

OXIDUM FERRI RUBRUM.

Sulphas Ferri exsiccatus urgeatur igne vehementi donec transierit in materiam ruberrimam.

Dose from gr x to xx.

TINCTURA MURIATIS FERRI.

℞. Ferri Oxidi nigri purificati et in pulverem triti uncias tres,

Acidi

Acidi Muriatici uncias circiter decem, vel quantum ſufficiat ad ſolvendum pulverem.

DIGERE leni calore, et, ſoluto pulvere, adde

Alcoholis quantum ſufficiat ut ſint totius liquoris libræ duæ cum ſemiſſe.

MURIAS AMMONIÆ ET FERRI: olim, FLORES MARTIALES.

℞. Oxidi Ferri rubri, loti, et iterum exſiccati,

Muriatis Ammoniæ, utriuſque pondera paria.

BENE permiſta ſublimentur.

HY-

Dose from ℥ii to IV.

HYDRARGYRUS PURIFICATUS.

℞. Hydrargyri partes quatuor,

Limaturæ Ferri partem unam.

Tere ſimul, et deſtilla è vaſe ferreo.

Dose from ℈i to VI

ACETIS HYDRARGYRI.

℞. Hydrargyri purificati uncias tres,

Acidi Nitroſi diluti uncias quatuor cum ſemiſſe, vel paullo plus quàm ad ſolvendum Hydrargyrum requiratur,

Acetitis Potaſſæ uncias tres,

Aquæ bullientis libras octo.

Hydrargyrum cum Acido Nitroſo diluto miſce, et ſub finem efferveſcentiæ digere, ſi opus fuerit, leni calore, donec penitus ſolvatur Hydrargyrus. Tum ſolve

Acetitim

Acetitim Potaſſæ in aqua bulliente; et protinus huic ſolutioni adhuc ferventi alteram affunde, et utramque agitando permiſce. Dein ſepone ut cryſtalli formentur. Has infundibulo inditas aquâ deſtillatâ frigidâ lava; et demum calore quàmleniſſimo ſicca.

In parando Acetite Hydrargyri, oportet vaſa omnia et infundibula, quæ adhibentur, ſint vitrea.

MURIAS HYDRARGYRI: olim, MERCURIUS SUBLIMATUS CORROSIVUS.

℞. Hydrargyri purificati libras duas,

Acidi Sulphurici libras duas cum ſemiſſe,

Muriatis Sodæ exſiccati libras quatuor.

HYDRARGYRUM cum Acido Sulphurico in vaſe vitreo coque ſuper arenam, donec

nec materia exſiccata fuerit. Materiam frigefactam miſce, vaſe vitreo, cum Muriate Sodæ; tum in cucurbita vitrea ſublima, calore ſenſim aucto. Dein materiam ſublimatam a ſcoriis ſepara.

SUB-MURIAS HYDRARGYRI: olim, CALOMELAS.

℞. Muriatis Hydrargyri in mortario vitreo triti uncias quatuor,

Hydrargyri purificati uncias tres.

TERANTUR ſimul in mortario vitreo, cum pauxilla aqua ut ab acri pulvere præcaveatur, ad extinctionem hydrargyri; pulviſque exſiccatus phialæ oblongæ, cujus tertiam tantum impleat partem, inditus, ex arena calida ſublimetur. Sublimatione peractâ, confractâque phialâ, pulvis rubens circa fundum et albicans circa collum ejus pariter rejiciendus eſt: maſſa

maſſa verò reliqua denuo ſublimetur, et in pulverem tenuiſſimum teratur, aquâ deſtillatâ fervente demum lavandum.

SUB-MURIAS HYDRARGYRI PRÆCIPITATUS.

℞. Acidi Nitroſi diluti,

Hydrargyri purificati, utriuſque uncias octo;

Muriatis Sodæ uncias quatuor cum ſemiſſe,

Aquæ bullientis libras octo.

Hydrargyrum cum Acido Nitroſo diluto miſce, et ſub finem efferveſcentiæ digere leni calore, vaſe interea ſæpius agitato. Oportet autem plus Hydrargyri admiſcuiſſe Acido quàm hoc diſſolvere poſſit, ut miſtura penitus ſaturata tandem obtineatur.

Solve ſimul Muriatem Sodæ in aqua bulliente; huic affunde alteram ſolutionem, adhuc calidam; et omnia celeriter permiſce. Poſt ſubſidentiam, effunde aquam ſalinam, et lava Sub-Muriatem Hydrargyri, aquâ calidâ ſæpius additâ, totiesque poſt ſubſidentiam effuſâ, donec ſapore careat.

OXIDUM HYDRARGYRI CINEREUM.

℞. Hydrargyri purificati partes quatuor,

Acidi Nitroſi diluti partes quinque,

Aquæ deſtillatæ partes quindecim,

Aquæ Carbonatis Ammoniæ quantum ſufficiat.

Solve Hydrargyrum in Acido; adde paulatim aquam deſtillatam; tum affunde Aquæ Carbonatis Ammoniæ quantum ſatis ſit ad Oxidum Hydrargyri penitus dejiciendum:

dejiciendum: quod dein aquâ purâ lavetur, et exsiccetur.

OXIDUM HYDRARGYRI RUBRUM per ACIDUM NITRICUM: olim, MERCURIUS PRÆCIPITATUS RUBER.

℞. Hydrargyri purificati libram unam,

Acidi Nitrosi diluti, uncias sexdecim.

SOLVATUR Hydrargyrus, lentoque igne vaporet solutio in massam albam siccam, quæ in pulverem trita cucurbitæ vitreæ indatur, laminâ vitreâ densâ illius superficiei impositâ. Tum adaptato capitulo, et vase in arena posito, torreatur igne sensim aucto, donec in squamulas ruberrimas abeat.

SUB-

Sponsiof... in VI

SUB-SULPHAS HYDRARGYRI FLAVUS: olim, TURPETHUM MINERALE.

℞. Hydrargyri Purificati uncias quatuor,

Acidi Sulphurici uncias ſex.

INDANTUR cucurbitæ vitreæ, et coquantur ex arena ad ſiccitatem. Materia alba, in fundo relicta, trita, conjiciatur in aquam bullientem. Inde naſcetur illico pulvis flavus, quem aquâ calidâ ſæpius lavare oportet.

SULPHURETUM HYDRARGYRI NIGRUM: olim, ÆTHIOPS MINERALIS.

℞. Hydrargyri purificati,

Sulphuris ſublimati, utriuſque pondera æqualia.

TERANTUR

Terantur simul in mortario vitreo, pistillo vitreo, donec globuli Hydrargyri visum penitus effugerint.

Fit quoque cum duplice Hydrargyro.

ACETIS PLUMBI: olim, Saccharum Saturni.

℞. Oxidi Plumbi albi quantum velis.

Inde cucurbitæ, et affunde

Acidi Acetosi destillati decuplum.

Stet mistum super arenam calidam donec Acidum dulcescat; hoc dein separetur; novumque toties affundatur donec dulcescere desinat. Tum liquor omnis defæcatus vaporet in vase vitreo ad spissitudinem mellis liquidioris, et in loco frigido seponatur, ut concrescant crystalli, in umbra siccandæ. Liquor residuus denuo vaporet, ut novæ formentur crystalli; totiesque iteretur vaporatio donec nullæ amplius concrescant.

OXIDUM ZINCI.

Crucibulum amplum in furno prunis inſtructo ita collocetur ut hujus oſtium verſus paulo inclinet, et, cùm illius fundus mediocriter canduerit, injiciatur Zinci fruſtulum pondere circiter unius drachmæ. Zincum brevi accendetur, et ſimul in floccos albos convertetur, qui ſubinde a metalli ſuperficie ſpatulâ ferreâ retrahendi ſunt, ut combuſtio ejus perfectius abſolvatur; et tandem, ceſſante flammâ, Oxidum Zinci e crucibulo auferendum eſt. Alio Zinci fruſtulo tunc projecto, operatio iteretur, et, quoties opus fuerit, repetatur. Deinde Oxidum Zinci præparetur ut Carbonas Calcis.

SULPHAS ZINCI: olim, Vitriolum Album.

℞. Zinci in fruſtula diſciſſi uncias tres,

Acidi Sulphurici uncias quinque,

Aquæ uncias viginti.

Misce, et peractâ effervescentiâ digere aliquamdiu super arenam calidam. Deinde liquorem effusum per chartam cola, et post idoneam exhalationem, sepone, ut crystalli formentur.

SOLUTIO SULPHATIS ZINCI.

℞. Sulphatis Zinci grana sexdecim,

Aquæ uncias octo,

Acidi Sulphurici diluti guttas sexdecim.

Solve Sulphatem Zinci in aqua; dein, addito acido, per chartam cola.

SOLUTIO ACETITIS ZINCI.

℞. Sulphatis Zinci drachmam unam,

Aquæ destillatæ uncias decem.

Solve.

℞. Acetitis Plumbi scrupulos quatuor,

Aquæ destillatæ uncias decem.

Solve.

Misceantur solutiones; quiescant paulisper; dein coletur liquor.

CAP. XXI.

PULVERES.

PULVIS AROMATICUS.

℞. Corticis Lauri Cinnamomi,

Seminum Amomi repentis,

Radicis Amomi Zingiberis, ſingulorum partes æquales.

Tere in pulverem tenuiſſimum, qui in vaſe vitreo bene obturato ſervetur.

PULVIS ASARI EUROPÆI COMPOSITUS.

℞. Foliorum Aſari Europæi partes tres;

Foliorum Origani Majoranæ,

Florum Lavandulæ Spicæ, utriusque partem unam.

Tere simul in pulverem.

PULVIS CARBONATIS CALCIS COMPOSITUS: olim, Pulvis Cretaceus.

℞. Carbonatis Calcis præparati uncias quatuor,

Corticis Lauri Cinnamomi drachmam unam cum semisse,

Nucis Myristicæ Moschatæ drachmam dimidiam.

Tere simul in pulverem.

PULVIS JALAPÆ COMPOSITUS.

℞. Pulveris Radicis Convolvuli Jalapæ partem unam,

Super-Tartritis Potassæ partes duas.

Tere simul in pulverem tenuissimum.

PULVIS IPECACUANHÆ ET OPII: olim, PULVIS DOVERI.

℞. Pulveris radicis Ipecacuanhæ,

Opii, utriusque partem unam;

Sulphatis Potassæ partes octo.

Tere simul in pulverem tenuem.

PULVIS OPIATUS.

℞. Opii partem unam,

Carbonatis Calcis præparati partes novem.

TERE fimul in pulverem tenuem.

PULVIS SCAMMONII COMPOSITUS.

℞. Gummi-refinæ Convolvuli Scammoniæ,

Super-Tartritis Potaffæ, utriufque partes æquales.

TERE fimul in pulverem tenuiffimum.

PULVIS SULPHATIS ALUMINÆ COMPOSITUS: olim, PULVIS STYPTICUS.

℞. Sulphatis Aluminæ partes quatuor,

Kino partem unam.

TERE ſimul in pulverem tenuem.

CAP. XXII.

ELECTUARIA.

ELECTUARIUM AROMATICUM.

℞. Pulveris Aromatici partem unam,

Syrupi corticis Citri Aurantii partes duas.

Misce, diligenter ſubigens, ut fiat Electuarium.

ELECTUARIUM CASSIÆ FISTULÆ.

℞. Pulpæ Caſſiæ Fiſtulæ partes quatuor,

—— Tamarindi Indicæ,

Mannæ, utriuſque partem unam.;

Syrupi

Syrupi Rosæ centifoliæ partes quatuor.

MANNAM in mortario tritam, leni calore, in syrupo solve; dein adde pulpas, et continuato calore, ad idoneam spissitudinem redige.

ELECTUARIUM CASSIÆ SENNÆ: olim, ELECTUARIUM LENITIVUM.

℞. Foliorum Cassiæ Sennæ uncias octo,

Seminum Coriandri sativi uncias quatuor,

Radicis Glycyrrhizæ glabræ uncias tres,

Fructûs Fici Caricæ libram unam;

Pulpæ Tamarindi Indicæ;

—— Cassiæ Fistulæ,

—— Pruni domesticæ, singulorum libram dimidiam;

Sacchari

Sacchari puriſſimi libras duas cum ſemiſſe.

SENNAM cum Coriandro tere, et per cribrum ſepara pulveris miſti uncias decem. Reſiduum cum Caricis et Glycyrrhiza in quatuor libris aquæ decoque ad dimidium; dein exprime et cola. Liquorem colatum per vaporationem abſume ad libram circiter unam cum ſemiſſe. Poſtea adde ſaccharum ut fiat ſyrupus. Hunc ſyrupum adde gradatim pulpis; et poſtremo immiſce pulverem.

ELECTUARIUM CATECHU: olim, CONFECTIO JAPONICA.

℞. Extracti Mimoſæ Catechu uncias quatuor,

Kino uncias tres;

Corticis

Corticis Lauri Cinnamomi,

Nucis Myristicæ Moschatæ, utriusque unciam unam;

Opii, in Vini albi Hispani quantum satis sit diffusi, drachmam unam cum semisse;

Syrupi Rosæ Gallicæ, ad mellis spissitudinem cocti, libras duas cum quadrante.

Redigantur solida in pulverem; et admistis Opio et Syrupo, fiat Electuarium.

ELECTUARIUM OPIATUM: olim, Electuarium Thebaicum.

℞. Pulveris Aromatici uncias sex,

Radicis Aristolochiæ Serpentariæ in pulverem tenuem tritæ uncias tres,

Opii,

Opii, in Vini albi Hiſpani quantum ſatis ſit diffuſi, unciam dimidiam,

Syrupi Amomi Zingiberis libram unam.

Misce, fiat Electuarium.

Cap. XXIII.

CAP. XXIII.

PILULÆ.

PILULÆ ALOËTICÆ.

℞. Gummi-resinæ Aloës Socotorinæ in pulverem tritæ,

Saponis, utriusque, partes æquales.

Subige cum syrupo simplice, ut fiat massa ad pilulas formandas apta.

PILULÆ ALOËS cum ASA FOETIDA.

℞. Gummi-resinæ Aloës Socotorinæ,

——————— Ferulæ Asæ fœtidæ,

Saponis, singulorum partes æquales.

Cum mucilagine gummi Mimosæ Niloticæ ſubigantur in maſſam.

PILULÆ ALOËS cum COLOCYNTHIDE.

℞. Gummi-reſinæ Aloës Socotorinæ,

——— ——— Convolvuli Scammoniæ, utriuſque partes octo;

Fructûs Cucumeris Colocynthidis partes quatuor;

Sulphatis Potaſſæ cum Sulphure,

Olei Caryophylli aromatici, utriuſque partem unam.

Aloë et Scammonium cum ſale in pulverem redigantur; tum fructus Cucumeris Colocynthidis in pulverem tenuem tritus, et oleum admiſceantur; denique cum mucilagine Mimoſæ Niloticæ ſubigantur in maſſam.

PILULÆ ALOËS cum MYRRHA.

℞. Gummi-resinæ Aloës Socotorinæ partes quatuor,

——————— Myrrhæ partes duas,

Croci Anglici partem unam.

SUBIGE in massam cum Syrupo simplice.

PILULÆ ASSÆ FOETIDÆ COMPOSITÆ.

℞. Gummi-resinæ Ferulæ Assæ fœtidæ,

——————— Bubonis Galbani,

——————— Myrrhæ, singulorum partes octo;

Olei Succini purissimi partem unam.

SUBIGE in massam cum Syrupo simplice.

PILULÆ AMMONIARETI CUPRI.

℞. AmmonIareti Cupri grana ſexdecim,

Micæ Panis ſcrupulos quatuor,

Aquæ Carbonatis Ammoniæ, quantum ſatis ſit.

Subige in maſſam, dividendam in pilulas triginta duas æquales.

PILULÆ HYDRARGYRI.

℞. Hydrargyri purificati,

Conſervæ Roſæ Gallicæ, utriuſque unciam unam;

Amyli uncias duas.

Tere Hydrargyrum cum Conſerva in mortario vitreo, donec illius globuli viſum

ſum penitus effugerint, addito prout opus fuerit aliquantulo mucilaginis Gummi Mimoſæ Niloticæ; dein amylum adjice, et cum aquæ pauxillo ſubige in maſſam ſtatim dividendam in pilulas quadringentas octoginta æquales.

PILULÆ OPIATÆ: olim, PILULÆ THEBAICÆ.

℞. Opii partem unam,

Extracti Glycyrrhizæ glabræ partes ſeptem,

Fructûs Myrti Pimentæ partes duas.

OPIUM et Extractum ſeorſim alcohole diluto mollita, et in pulpam contuſa, miſce; dein adde fructum Myrti Pimentæ in pulverem tritum; et bene ſubacta, coge in maſſam.

PILULÆ RHEI COMPOSITÆ.

℞. Radicis Rhei palmati unciam unam,

Gummi-resinæ Aloës Socotorinæ drachmas sex,

——————— Myrrhæ unciam dimidiam,

Olei volatilis Menthæ piperitæ drachmam dimidiam.

Cum syrupo Citri Aurantii subige in massam.

PILULÆ SCILLITICÆ.

℞. Radicis Scillæ maritimæ exsiccatæ, et in pulverem tenuem tritæ, scrupulum unum;

Gummi-resinæ Ammoniaci,

Seminum Amomi repentis in pulverem tritorum,

Extracti

Extracti Glycyrrhizæ glabræ, ſingulorum drachmam unam.

Cum Syrupo ſimplice ſubige in maſſam.

CAP. XXIV.

TROCHISCI.

TROCHISCI CARBONATIS CALCIS.

℞. Carbonatis Calcis præparati uncias quatuor,

Gummi Mimosæ Niloticæ unciam unam,

Nucis Myristicæ Moschatæ drachmam unam,

Sacchari purissimi uncias sex.

Hæc in pulverem terantur, et cum aqua fiat massa in Trochiscos formanda.

TROCHISCI GLYCYRRHIZÆ.

℞. Extracti Glycyrrhizæ glabræ,

Gummi Mimosæ Niloticæ, utriusque partem unam;

Sacchari purissimi partes duas.

Solvantur aquâ calidâ, et colentur; dein vaporet solutio, leni calore, in massam quæ in Trochiscos formetur.

TROCHISCI GLYCYRRHIZÆ cum OPIO.

℞. Opii drachmas duas,

Tincturæ Toluiferæ Balsami unciam dimidiam,

Syrupi simplicis uncias octo,

Extracti Glycyrrhizæ glabræ, aquâ calidâ molliti,

Gummi Mimosæ Niloticæ in pulverem triti, utriusque uncias quinque.

Primo tere Opium bene cum Tinctura; dein paullatim admisce Syrupum et Extractum; postea sensim insperge pulverem Gummi Mimosæ Niloticæ; et tandem exsicca, ut fiat massa in Trochiscos formanda singulos grana decem pendentes.

TROCHISCI GUMMOSI.

℞. Gummi Mimosæ Niloticæ partes quatuor,

Amyli partem unam,

Sacchari purissimi partes duodecim.

Omnibus

Omnibus in pulverem contritis, cum aqua Rosæ Centifoliæ fiat massa in Trochiscos formanda.

TROCHISCI NITRATIS POTASSÆ.

℞. Nitratis Potassæ partem unam,

Sacchari purissimi partes tres.

Conterantur in pulverem, et cum mucilagine Gummi Astragali Tragacanthæ fiat massa in Trochiscos formanda.

Cap. XXV.

CAP. XXV.

LINIMENTA, UNGUENTA, ET CERATA.

In his componendis, pinguia et resinosa leni calore liquescant, dein assiduè agitentur, inspersis simul aridis, si quæ sint, in pulverem tenuissimum tritis, donec mistura frigescens riguerit.

LINIMENTUM SIMPLEX.

℞. Olei Oleæ Europææ partes quatuor,

Ceræ albæ partem unam.

UNGUENTUM SIMPLEX.

℞. Olei Oleæ Europææ partes quinque,
Ceræ albæ partes duas.

CERATUM SIMPLEX.

℞. Olei Oleæ Europææ partes ſex,
Ceræ albæ partes tres,
Sevi Ceti partem unam.

UNGUENTUM RESINOSUM.

℞. Axungiæ Porcinæ partes octo,
Reſinæ albæ partes quinque,
Ceræ flavæ partes duas.

UNGUEN-

UNGUENTUM PULVERIS MELOËS VESICATORII: olim, UNGUENTUM EPISPASTICUM FORTIUS.

℞. Unguenti Resinosi partes septem,

Pulveris Meloës vesicatorii partem unam.

UNGUENTUM INFUSI MELOËS VESICATORII: olim, UNGUENTUM EPISPASTICUM MITIUS.

℞. Meloës vesicatorii,

Resinæ albæ,

Ceræ flavæ, singulorum partem unam;

Terebinthinæ Venetæ,

Axungiæ Porcinæ, utriusque partes duas;

Aquæ bullientis partes quatuor.

MACERA

Macera Meloën in aqua per noctem, et validè exprimens cola; dein liquorem, additâ Axungiâ, coque ad humoris aquei consumptionem; tum adde Ceram et Resinam; quibus liquefactis, et ab igne remotis, Terebinthinam adde.

UNGUENTUM SUB-ACETITIS CUPRI: olim, UNGUENTUM ÆRUGINIS.

℞. Unguenti resinosi partes quindecim,

Sub-acetitis Cupri partem unam.

UNGUENTUM HYDRARGYRI: vulgo, UNGUENTUM COERULEUM.

℞. Hydrargyri,

Sevi Ovilli, utriusque partem unam;

Axungiæ Porcinæ partes tres.

Tere diligenter in mortario, donec evanescant globuli Hydrargyri.

Fit

Fit quoque cum Hydrargyro duplice et triplice.

UNGUENTUM OXIDI HYDRARGYRI CINEREI.

℞. Oxidi Hydrargyri cinerei partem unam,

Axungiæ Porcinæ partes tres.

UNGUENTUM OXIDI HYDRARGYRI RUBRI.

℞. Oxidi Hydrargyri rubri per Acidum Nitricum partem unam;

Axungiæ Porcinæ partes octo.

UNGUENTUM NITRATIS HYDRARGYRI FORTIUS: vulgo, UNGUENTUM CITRINUM.

℞. Hydrargyri purificati partem unam,

Acidi Nitrosi partes duas,

Axungiæ Porcinæ partes duodecim.

DIGERE Hydrargyrum cum Acido Nitroso super arenam ut fiat solutio, quam calidissimam adhuc misce cum Axungia Porcina liquefacta, et denuo frigescente; strenuè dein misturam subige in mortario vitreo, ut fiat unguentum.

UNGUENTUM NITRATIS HYDRARGYRI MITIUS,

FIT eodem modo cum Axungia triplice.

UNGUEN-

UNGUENTUM ACIDI NITROSI.

℞. Axungiæ Porcinæ libram unam,

Acidi Nitroſi drachmas ſex.

Acidum paullatim miſce cum Axungia liquefacta; et mixturam frigeſcentem diligenter ſubige.

UNGUENTUM OXIDI PLUMBI ALBI:
vulgo, Unguentum Album.

℞. Unguenti ſimplicis partes quinque,

Oxidi Plumbi albi partem unam.

UNGUENTUM ACETITIS PLUMBI:
vulgo, Unguentum Saturninum.

℞. Unguenti ſimplicis partes viginti,

Acetitis Plumbi partem unam.

CERA-

CERATUM CARBONATIS ZINCI IMPURI: olim, CERATUM LAPIDIS CALAMINARIS.

℞. Cerati ſimplicis partes quinque,

Carbonatis Zinci impuri præparati, partem unam.

UNGUENTUM OXIDI ZINCI IMPURI: olim, UNGUENTUM TUTIÆ.

℞. Linimenti ſimplicis partes quinque,

Oxidi Zinci impuri præparati partem unam.

UNGUENTUM OXIDI ZINCI.

℞. Linimenti ſimplicis partes ſex,

Oxidi Zinci partem unam.

UNGUENTUM PICIS.

℞. Picis liquidæ partes quinque,

Ceræ flavæ partes duas.

UNGUENTUM SULPHURIS.

℞. Axungiæ Porcinæ partes quatuor,

Sulphuris ſublimati partem unam.

Singulis Unguenti hujus libris adde

Olei volatilis Citri medicæ,

vel

———— Lavandulæ Spicæ, drachmam dimidiam.

CAP. XXVI.

EMPLASTRA.

EMPLASTRUM SIMPLEX: olim, EMPLASTRUM CEREUM.

℞. Ceræ flavæ partes tres;

Sevi Ovilli,

Resinæ Pini, utriusque partes duas.

EMPLASTRUM OXIDI PLUMBI SEMIVITREI: olim, EMPLASTRUM COMMUNE.

℞. Oxidi Plumbi semivitrei partem unam,

Olei Oleæ Europææ partes duas.

Adjectâ aquâ, coque, assiduè agitans, donec Oleum et Oxidum coëant in Emplastrum.

EMPLASTRUM RESINOSUM: olim, EMPLASTRUM ADHÆSIVUM.

℞. Emplastri Oxidi Plumbi semivitrei partes quinque,

Resinæ Pini partem unam.

EMPLASTRUM OXIDI FERRI RUBRI: olim, EMPLASTRUM ROBORANS.

℞. Emplastri Oxidi Plumbi semivitrei partes viginti quatuor;

Resinæ Pini partes sex;

Ceræ flavæ,

Olei Oleæ Europææ, utriusque partes tres;

Oxidi Ferri rubri partes octo.

Teratur Oxidum Ferri rubrum cum Oleo, et dein cæteris liquefactis adjiciatur.

EMPLASTRUM ASÆ FOETIDÆ.

℞. Emplastri Oxidi Plumbi semivitrei,

Gummi-Resinæ Ferulæ Asæ fœtidæ, utriusque partes duas;

——————— Bubonis Galbani,

Ceræ flavæ, utriusque partem unam.

EMPLASTRUM GUMMOSUM.

℞. Emplastri Oxidi Plumbi semivitrei partes octo;

Gummi-resinæ Ammoniaci,

Gummi Resinæ Bubonis Galbani,

Ceræ flavæ, singulorum partem unam.

EMPLASTRUM HYDRARGYRI.

℞. Olei Oleæ Europææ,

Resinæ Pini, utriusque partem unam;

Hydrargyri partes tres;

Emplastri Oxidi Plumbi semivitrei partes sex.

Cum Oleo et Resina, liquefactis simul et dein refrigeratis, teratur Hydrargyrus, donec evanescant globuli; tum paulatim addatur Emplastrum Oxidi Plumbi semivitrei liquefactum, et omnia accuratè misceantur.

EMPLA-

EMPLASTRUM SAPONACEUM.

℞. Emplaſtri Oxidi Plumbi ſemivitrei partes quatuor,

Emplaſtri gummoſi partes duas,

Saponis raſi partem unam.

Emplastris ſimul liquefactis Sapo admiſceatur; dein coquantur paululum ut fiat Emplaſtrum.

EMPLASTRUM MELOËS VESICATORII: olim, Emplastrum Vesicatorium.

℞. Sevi Ovilli,

Ceræ flavæ,

Reſinæ Pini,

Meloës veſicatorii, ſingulorum paria pondera.

Insecta in pulverem tenuem trita, cæteris simul liquefactis, et ab igne remotis, admisceantur.

EMPLASTRUM MELOËS VESICATORII COMPOSITUM.

℞. Resinæ Pini Laricis partes octodecim;

——— Abietis,

Meloës vesicatorii, utriusque partes duodecim;

Ceræ flavæ partes quatuor;

Sub-acetitis Cupri partes duas;

Seminum Sinapis albæ,

Fructûs Piperis nigri, utriusque partem unam.

Lique-

LIQUEFACTIS primò resinæ Pini Abietis et Ceræ adde resinam Pini Laricis: his liquefactis, et adhuc fervidis, insperge cætera, in pulverem tenuem trita, et commixta; assiduè agitans, ut fiat Emplastrum.

FINIS.

TABULA,

Exhibens quantitatem Opii, Antimonii et Hydrargyri, in Medicamentis quibusdam compositis.

Vinum tartritis antimonii, in singulis unciis habet tartritis antimonii, olim tartari emetici, grana duo.

Tinctura opii, olim laudanum liquidum, fit cum opii scrupulis duobus in singulis unciis liquidi, sive cum granis quinque in singulis drachmis. Tincturæ

ræ autem drachma, ut liquoris evaporatione constat, continet opii grana circiter tria cum semisse.

TINCTURA OPII AMMONIATA, olim ELIXIR PAREGORICUM, fit cum opii granis circiter octo in singulis unciis liquidi; sive cum grano fere uno in singulis drachmis.

TINCTURA SAPONIS CUM OPIO, olim LINIMENTUM OPIATUM, ET BALSAMUM ANODYNUM, fit cum opii scrupulo uno in singulis unciis liquidi.

PULVIS IPECACUANHÆ ET OPII, olim PULVIS DOVERI, in singulis drachmis habet opii grana sex, sive in granis decem, opii granum unum.

ELECTUARIUM CATECHU, olim CONFECTIO JAPONICA, in singulis unciis habet

bet opii grana circiter duo cum femiffe: In granis enim centum et nonaginta tribus, habet opii granum unum.

Electuarium opiatum, five thebaicum, in fingulis drachmis habet opii granum fere unum cum femiffe.

Pilulæ hydrargyri, in fingulis drachmis habent hydrargyri grana quindecim. Singulæ pilulæ habent hydrargyri granum unum.

Pilulæ opiatæ, olim thebaicæ, in fingulis drachmis habent opii grana fex. Pilula granorum quinque, habet opii granum dimidium.

Trochisci glycyrrhizæ cum opio, in fingulis drachmis habent opii granum fere unum.

Un-

Unguentum nitratis hydrargyri fortius, in ſingulis drachmis habet hydrargyri grana quatuor, acidi nitroſi grana octo.

Unguentum nitratis hydrargyri mitius; in ſingulis ſcrupulis habet hydrargyri granum dimidium, acidi nitroſi granum unum.

Unguentum hydrargyri, in ſingulis drachmis habet hydrargyri grana duodecim; cum duplice hydrargyro, drachma habet grana viginti quatuor.

Emplastrum hydrargyri; in ſingulis drachmis habet hydrargyri grana circiter ſexdecim.

INDICES.

INDICES.

INDEX

NOMINUM MUTATORUM

ET

SYNONYMORUM QUORUNDAM.

NOMINA MUTATA.	NOMINA NOVA.
ABSINTHIUM.	ARTEMISIA abſinthium.
Acetoſa.	Rumex acetoſa.
Acetum vini.	Acidum acetoſum.
Acidum vitriolicum.	Acidum ſulphuricum.
—— *vitrioli aromaticum.*	—— —— aromaticum.
Ærugo.	Sub-Acetis cupri.
Æther vitriolicus.	Æther ſulphuricus.
Æthiops mineralis.	Sulphuretum hydrargyri nigrum.
Agaricus.	Boletus igniarius.
Alkali cauſticum.	Potaſſa.
—— *fixum foſſile.*	Carbonas ſodæ.
—— —— *vegetabile.*	—— potaſſæ impurus.
—— *volatile.*	—— ammoniæ.

O *Alumen.*

NOMINA MUTATA.	NOMINA NOVA.
Alumen.	Sulphas aluminæ.
——— *ustum.*	——— ——— exsiccatus.
Ammonia muriata.	Murias ammoniæ.
——— *præparata.*	Carbonas ammoniæ.
Amygdala dulcis.	Amygdalus communis.
Angelica sativa.	Angelica Archangelica.
Anisum.	Pimpinella anisum.
Antimonium.	Sulphuretum antimonii.
——— *calcareo-phosphoratum.*	Oxidum antimonii cum phosphate calcis.
——— *muriatum.*	Murias antimonii.
——— *tartarisatum.*	Tartris antimonii.
Aqua ammoniæ.	Aqua carbonatis ammoniæ.
—— ——— *acetatæ.*	——— acetitis ammoniæ.
—— ——— *causticæ.*	——— ammoniæ.
—— *cupri vitriolati composita,* vel *aqua styptica.*	Solutio sulphatis cupri composita.
—— *lixivia caustica.*	Aqua potassæ.
—— *zinci vitriolati.*	Solutio sulphatis zinci.
Arabicum gummi.	Gummi mimosæ niloticæ.
Argentum nitratum.	Nitras argenti.
Arsenicum.	Oxidum arsenici.
Asa fœtida.	Gummi-resina ferulæ assæ fœtidæ.
Aurantium Hispalense.	Citrus aurantium.

Balsamum

NOMINA MUTATA.	NOMINA NOVA.
Balſamum Canadenſe.	Reſina pini balſameæ.
———— *Copaibæ.*	——— copaiferæ officinalis.
———— *Gileadenſe.*	——— amyridis Gileadenſis.
———— *Peruvianum.*	Balſamum myroxyli peruiferi.
———— *Tolutanum.*	——— ——— toluiferæ balſami.
———— *traumaticum.*	Tinctura benzoës compoſita.
Bardana.	Arctium lappa.
Barilla.	Carbonas ſodæ impurus.
Barytes.	———— barytæ.
Belladonna.	Atropa belladonna.
Benzoinum.	Balſamum ſtyracis benzoës.
Biſtorta.	Polygonum biſtorta.
Borax.	Boras ſodæ.
Butyrum antimonii.	Murias antimonii.
Cajeputa.	Melaleuca leucadendron.
Calamus aromaticus.	Acorus calamus.
Calomelas.	Sub-Murias hydrargyri.
Calx viva.	Calx.
Cancrorum lapilli.	Carbonas calcis præparatus.
Cantharis.	Meloë veſicatorius.
Cardamomum minus.	Amomum repens.
Carduus benedictus.	Centaurea benedicta.
Carica.	Fructus ficûs caricæ.

NOMINA MUTATA.	NOMINA NOVA.
Carvi.	Carum carvi.
Caryophylla aromatica.	Caryophyllus aromaticus.
——— *rubra.*	Dianthus caryophyllus.
Caſcarilla.	Croton eleutheria.
Caſſia fiſtularis.	Caſſia fiſtula.
—— *lignea.*	Laurus caſſia.
Catechu.	Extractum mimoſæ catechu.
Cauſticum commune acerrimum.	Potaſſa.
——— ——— *mitius.*	——— cum calce.
——— *lunare.*	Nitras argenti.
Centaurium minus.	Gentiana centaurium.
Ceruſſa.	Oxidum plumbi album.
——— *acetata.*	Acetis plumbi.
Chamæmelum.	Anthemis nobilis.
Cicuta.	Conium maculatum.
Cinnabaris factitia.	Sulphuretum hydrargyri rubrum.
Cinara hortenſis.	Cinara ſcolymus.
Cineres clavellati.	Carbonas potaſſæ impurus.
Cinnamomum.	Laurus cinnamomum.
Coccinella.	Coccus cacti.
Colocynthis.	Cucumis colocynthis.
Confectio Japonica.	Electuarium catechu.
Contrayerva.	Dorſtenia contrayerva.

Cortex

NOMINA MUTATA.	NOMINA NOVA.
Cortex Peruvianus.	Cortex cinchonæ officinalis.
Creta alba.	Carbonas calcis.
Crocus antimonii. / —— *metallorum.*	Oxidum antimonii cum sulphure per nitratem potaſſæ.
Cryſtalli tartari.	Super-Tartris potaſſæ.
Cucumis agreſtis.	Fructus recens momordicæ elaterii.
Cuprum ammoniacum.	Ammoniaretum cupri.
—— *vitriolatum.*	Sulphas cupri.
Cynoſbatos.	Fructus recens roſæ caninæ.
Daucus ſilveſtris.	Daucus carota.
Decoctum chamæmeli vel *commune.*	Decoctum anthemidis nobilis.
—— *lignorum.*	—— guaiaci officinalis compoſitum.
Dens leonis.	Leontodon taraxacum.
Elaterium.	Succus ſpiſſatus momordicæ elaterii.
Electuarium lenitivum.	Electuarium caſſiæ ſennæ.
Elixir paregoricum.	Tinctura opii ammoniata.
—— *ſacrum.*	—— rhei cum aloë.

NOMINA MUTATA.	NOMINA NOVA.
Elixir ſalutis.	Tinctura caſſiæ ſennæ compoſita.
—— *ſtomachicum.*	——— gentianæ compoſita.
Emplaſtrum adhæſivum.	Emplaſtrum reſinoſum.
——— *cereum.*	——— ſimplex.
——— *lithargyri* vel *commune.*	——— oxidi plumbi ſemivitrei.
——— *lithargyri compoſitum* vel *roborans.*	——— oxidi ferri rubri.
——— *veſicatorium.*	Emplaſtrum meloës veſicatorii.
Emulſio communis.	Emulſio amygdalæ communis.
Ferrum ammoniatum.	Murias ammoniæ et ferri.
Ferri rubigo.	Carbonas ferri.
—— *ſquamæ purificatæ.*	Ferri oxidum nigrum purificatum.
—— —— *præparatæ.*	—— —— —— præparatum.
Ferrum vitriolatum.	Sulphas ferri.
—— —— *uſtum.*	Oxidum ferri rubrum.
Filix mas.	Polypodium filix mas.
Flores martiales.	Murias ammoniæ et ferri.
Flores ſulphuris.	Sulphur ſublimatum.

Flores

NOMINA MUTATA.	NOMINA NOVA.
Flores zinci.	Oxidum zinci.
Fœniculum dulce.	Anethum fœniculum.
Galbanum.	Gummi-resina bubonis galbani.
Genista.	Spartium scoparium.
Granata malus.	Punica granatum.
Helleborus albus.	Veratrum album.
Hepar sulphuris.	Sulphuretum potassæ.
Hippocastanum.	Æsculus hippocastanum.
Hydrargyrus acetatus.	Acetis hydrargyri.
——— *muriatus corrosivus.*	Murias hydrargyri.
——— ——— *mitis.*	Sub-Murias hydrargyri.
——— ——— *præcipitatus.*	——— hydrargyri præcipitatus.
——— *nitratus ruber.*	Oxidum hydrargyri rubrum per acidum nitricum.
——— *præcipitatus cinereus.*	Oxidum hydrargyri cinereum.
——— *sulphuratus niger.*	Sulphuretum hydrargyri nigrum.
——— *vitriolatus flavus.*	Sub-Sulphas hydrargyri flavus.

NOMINA MUTATA.	NOMINA NOVA.
Infusum amarum.	Infusum gentianæ luteæ compositum.
——— *rosarum.*	——— rosæ Gallicæ.
Jalapa.	Convolvulus jalapa.
Lapis calaminaris.	Carbonas zinci impurus.
Lavendula.	Lavandula spica.
Laudanum liquidum.	Tinctura opii.
Lignum Campechense.	Lignum Hæmatoxyli Campechiani.
Limon.	Fructus citri medicæ.
Linimentum anodynum vel *opiatum.*	Tinctura saponis cum opio.
——— *aquæ calcis.*	Oleum lini cum calce.
——— *saponaceum.*	Tinctura saponis.
——— *volatile.*	Oleum ammoniatum.
Lithargyrus.	Oxidum plumbi semivitreum.
Lixiva acetata.	Acetis potassæ.
——— *e tartaro.*	Carbonas potassæ purissimus.
——— *purificata.*	Carbonas potassæ.
——— *tartarisata.*	Tartris potassæ.
——— *vitriolata.*	Sulphas potassæ.
——— ——— *sulphurea.*	——— cum sulphure.
Lixivium causticum.	Aqua potassæ.

Magnesia

NOMINA MUTATA.	NOMINA NOVA.
Magnesia alba.	Carbonas magnesiæ.
——— *usta.*	Magnesia.
——— *vitriolata.*	Sulphas magnesiæ.
Majorana.	Origanum majorana.
Manna.	Succus concretus fraxini orni.
Mastiche.	Resina pistachiæ lentisci.
Melampodium.	Helleborus niger.
Mercurius.	Hydrargyrus.
——— *præcipitatus ruber.*	Oxidum hydrargyri rubrum.
——— *sublimatus corrosivus.*	Murias hydrargyri.
Mezereum.	Daphne mezereum.
Minium.	Oxidum plumbi rubrum.
Muria.	Murias sodæ.
Nasturtium aquaticum.	Sisymbrium nasturtium.
Nitrum.	Nitras potassæ.
Nux moschata.	Nucleus fructûs myristicæ moschatæ.
Olea stillatitia.	Olea volatilia.
Oleum succini rectificatum.	Oleum succini purissimum.
—— *terebinthinæ rectificatum.*	——— terebinthinæ volatile purissimum.
Olibanum.	Gummi-resina juniperi lyciæ.
Oliva.	Olea Europæa.

Palma.

NOMINA MUTATA.	NOMINA NOVA.
Palma.	Cocos butyracea.
Petroleum Barbadense.	Bitumen petroleum.
Petroselinum.	Apium petroselinum.
Pilulæ cupri.	Pilulæ ammoniareti cupri.
—— *thebaicæ.*	—— opiatæ.
Pimento vel *piper Jamaicensis.*	Myrtus pimenta.
Piper Indicum.	Capsicum annuum.
Pix Burgundica.	Resina pini abietis.
Plumbum ustum.	Oxidum plumbi semivitreum.
Potio cretacea.	Potio carbonatis calcis.
Prunus Gallica.	Prunus domestica.
Pulegium.	Mentha pulegium.
Pulvis antimonialis.	Oxidum antimonii cum phosphate calcis.
—— *cretaceus.*	Pulvis carbonatis calcis compositus.
—— *Doveri.*	—— ipecacuanhæ et opii.
Pyrethrum.	Anthemis pyrethrum.
Raphanus rusticanus.	Cochlearia armoracia.
Rhabarbarum.	Rheum palmatum.
Resina alba.	Resina pini.
Rosa pallida.	Rosa centifolia.

Rosa

NOMINA MUTATA.	NOMINA NOVA.
Rosa rubra.	Rosa Gallica.
Rubigo ferri præparata.	Carbonas ferri præparatus.
Sabina.	Juniperus sabina.
Saccharum saturni.	Acetis plumbi.
Sal alkalinus fixus fossilis.	Carbonas sodæ.
— ——— —— *vegetabilis.*	——— potassæ.
— *ammoniacus.*	Murias ammoniæ.
— *catharticus amarus.*	Sulphas magnesiæ.
— *cornu cervi.*	Carbonas ammoniæ.
— *Glauberi.*	Sulphas sodæ.
— *marinus Hispanus.*	Murias sodæ.
— *polychrestus.*	Sulphas potassæ cum sulphure.
— *Rupellensis.*	Tartris potassæ et sodæ.
— *succini.*	Acidum succinicum.
— *tartari.*	Carbonas potassæ purissimus.
Sanguis draconis.	Resina pterocarpi draconis.
Santalum rubrum.	Pterocarpus santalinus.
Santonicum.	Artemisia santonicum.
Sarsaparilla.	Smilax sarsaparilla.
Sassafras.	Laurus sassafras.
Scammonium.	Gummi-resina convolvuli scammoniæ.
Seneka.	Polygala senega.
Senna.	Cassia senna.
Serpentaria Virginiana.	Aristolochia serpentaria.

NOMINA MUTATA.	NOMINA NOVA.
Simarouba.	Quaſſia ſimaruba.
Sinapi album.	Sinapis alba.
Soda.	Carbonas ſodæ.
—— *muriata.*	Murias ſodæ.
—— *phoſphorata.*	Phoſphas ſodæ.
—— *tartariſata.*	Tartris potaſſæ et ſodæ.
—— *vitriolata.*	Sulphas ſodæ.
Spiritus ætheris vitriolici.	Æther ſulphuricus cum alcohole.
——— *ammoniæ.*	Alcohol ammoniatum.
——— *cornu cervi.*	Aqua carbonatis ammoniæ.
——— *Mindereri.*	—— acetitis ammoniæ.
——— *vinoſus rectificatus.*	Alcohol.
——— ——— *tenuior.*	——— dilutum.
——— ——— *camphoratus.*	Tinctura camphoræ.
Staphiſagria.	Delphinium ſtaphiſagria.
Stramonium.	Datura ſtramonium.
Sulphur antimonii præcipitatum. } ——— *auratum antimonii.*	Sulphuretum antimonii præcipitatum.
Syrupus balſamicus vel *Tolutanus.*	Syrupus toluiferæ balſami.
——— *papaveris albi.*	——— papaveris ſomniferi.
Taraxacum.	Leontodon taraxacum.
Tartarus crudus.	Super-Tartris potaſſæ impurus.
Tartari cryſtalli.	——— potaſſæ.

Tartarus

NOMINA MUTATA.	NOMINA NOVA.
Tartarus emeticus.	Tartris antimonii.
Tartarum solubile.	Tartris potassæ.
——— *vitriolatum.*	Sulphas potassæ.
Terebinthina Veneta.	Resina pini laricis.
Terra Japonica.	Extractum mimosæ catechu.
Tinctura aloës vitriolata.	Tinctura aloës ætherea.
——— *aromatica.*	——— lauri cinnamomi composita.
——— *ferri.*	——— muriatis ferri.
——— *cantharidum.*	——— meloës vesicatorii.
——— *Japonica.*	——— mimosæ catechu.
——— *rhei amara.*	——— rhei cum gentiana.
——— *sacra.*	Vinum aloës Socotorinæ.
——— *Tolutana.*	Tinctura toluiferæ balsami.
Toxicodendron.	Rhus toxicodendron.
Tragacantha.	Gummi astragali tragacanthæ.
Trifolium.	Menyanthes trifoliata.
Trochisci Arabici.	Trochisci gummosi.
Turpethum minerale.	Sub-Sulphas hydrargyri flavus.
Tutia.	Oxidum zinci impurum.

Unguentum

NOMINA MUTATA.	NOMINA NOVA.
Unguentum album vel *ceruſſæ.*	Unguentum oxidi plumbi albi.
——— *æruginis.*	——— ſub-Acetitis cupri.
——— *cæruleum.*	——— hydrargyri.
——— *citrinum.*	——— nitratis hydrargyri.
——— *epiſpaſticum fortius.*	——— pulveris meloës veſicatorii.
——— ——— *mitius.*	——— infuſi meloës veſicatorii.
——— *ſaturninum.*	——— acetitis plumbi.
——— *tutiæ.*	——— oxidi zinci impuri.
Uva paſſa.	Fructus ſiccatus vitis viniferi.
—— *urſi.*	Arbutus uva urſi.
Valeriana ſylveſtris.	Valeriana officinalis.
Vinum amarum.	Vinum gentianæ compoſitum.
——— *antimoniale.*	——— tartritis antimonii.
Vitriolum album.	Sulphas zinci.
——— *cæruleum.*	——— cupri.
——— *viride.*	——— ferri.
Vitrum antimonii.	Oxidum antimonii cum ſulphure vitrificatum.
——— ——— *ceratum.*	Oxidum antimonii vitrificatum cum cera.

Winteranus

NOMINA MUTATA.	NOMINA NOVA.
Winteranus cortex.	Cortex Winteræ aromaticæ.
Zincum ustum.	Oxidum zinci.
—— vitriolatum.	Sulphas zinci.
Zingiber.	Amomum zingiber.

INDEX ALTER

NOMINUM MUTATORUM
ET
SYNONYMORUM.

NOMINA NOVA.	*NOMINA MUTATA.*
Acetis hydrargyri.	*Hydrargyrus acetatus.*
——— potaſſæ.	*Lixiva acetata* vel *tartarum regeneratum.*
——— plumbi.	*Ceruſſa acetata* vel *ſaccharum ſaturni.*
Acidum acetoſum.	*Acetum vini.*
——— ſuccinicum.	*Sal ſuccini.*
——— ſulphuricum.	*Acidum vitriolicum.*
——— ——— aromaticum.	——— *vitrioli aromaticum.*
Acorus calamus.	*Calamus aromaticus.*
Æſculus hippocaſtanum.	*Hippocaſtanum.*
Æther ſulphuricus.	*Æther vitriolicus.*
——— ——— cum alcohole.	*Spiritus ætheris vitriolici.*
Alcohol.	*Spiritus vinoſus rectificatus* vel *puriſſimus.*

NOMINA NOVA.	NOMINA MUTATA.
Alcohol ammoniatum.	*Spiritus ammoniæ.*
——— dilutum.	——— *vinoſus tenuior* vel *dilutus.*
Ammoniaretum cupri.	*Cuprum ammoniacum.*
Amomum repens.	*Cardamomum minus.*
——— zingiber.	*Zingiber.*
Amygdali communis nucleus.	*Amygdala dulcis.*
Amyridis Gileadenſis reſina.	*Balſamum Gileadenſe.*
Anethum fœniculum.	*Fœniculum dulce.*
Angelica Archangelica.	*Angelica ſativa.*
Anthemis nobilis.	*Chamæmelum.*
——— pyrethrum.	*Pyrethrum.*
Apium petroſelinum.	*Petroſelinum.*
Aqua acetitis ammoniæ.	*Aqua ammoniæ acetatæ* vel *ſpiritus Mindereri.*
—— ammoniæ.	*Aqua ammoniæ cauſticæ.*
—— carbonatis ammoniæ.	—— *ammoniæ* vel *ſpiritus cornu cervi.*
—— potaſſæ.	*Aqua lixivia cauſtica* vel *lixivium cauſticum.*
Arbutus uva urſi.	*Uva urſi.*
Arctium lappa.	*Bardana.*
Ariſtolochia ſerpentaria.	*Serpentaria Virginiana.*
Artemiſia abſinthium.	*Abſinthium.*
——— ſantonicum.	*Santonicum.*
Aſtragalus tragacantha.	*Tragacantha.*
Atropa belladonna.	*Belladonna* vel *ſolanum lethale.*

Bitumen

NOMINA NOVA.	*NOMINA MUTATA.*
Bitumen petroleum.	*Petroleum Barbadense.*
Boletus igniarius.	*Agaricus.*
Boras sodæ.	*Borax.*
Bubonis galbani gummi-resina.	*Galbanum.*
Calx.	*Calx viva.*
Capsici annui fructus.	*Piper Indicum.*
Carbonas ammoniæ.	*Ammonia præparata* vel *sal cornu cervi.*
——— barytæ.	*Barytes.*
——— calcis.	*Creta alba* vel *cancrorum chelæ et lapilli.*
——— ferri.	*Ferri rubigo.*
——— magnesiæ.	*Magnesia alba.*
——— potassæ.	*Lixiva purificata* vel *sal alkalinus fixus vegetabilis purificatus.*
——— potassæ impurus.	——— *impura* vel *alkali fixum vegetabile.*
——— ——— purissimus.	——— *e tartaro* vel *sal tartari.*
——— sodæ impurus.	*Barilla.*
——— sodæ.	*Soda* vel *sal alkalinus fixus fossilis purificatus.*
——— zinci impurus.	*Lapis calaminaris.*
Carum carvi.	*Carvi.*

NOMINA NOVA.	*NOMINA MUTATA.*
Cassia senna.	*Senna.*
Centaurea benedicta.	*Carduus benedictus.*
Cinchonæ officinalis cortex.	*Cortex Peruvianus.*
Citrus aurantium.	*Aurantium Hispalense.*
—— medica.	*Limon.*
Coccus cacti.	*Coccinella.*
Cochlearia armoracia.	*Raphanus rusticanus.*
Cocos butyracea.	*Palma.*
Conium maculatum.	*Cicuta.*
Convolvuli scammoniæ gummi-resina,	*Scammonium.*
Convolvulus jalapa.	*Jalapa.*
Copaiferæ officinalis resina.	*Balsamum copaibæ.*
Croton eleutheria.	*Cascarilla.*
Cucumeris colocynthidis fructus.	*Colocynthis.*
Daphne mezereum.	*Mezereum.*
Datura stramonium.	*Stramonium.*
Delphinium staphisagria.	*Staphisagria.*
Dianthus caryophyllus.	*Caryophylla rubra.*
Dorstenia contrajerva.	*Contrajerva.*

NOMINA NOVA.	NOMINA MUTATA.
Emplastrum meloës vesicatorii.	*Emplastrum vesicatorium.*
——— oxidi ferri rubri.	——— *roborans.*
——— ——— plumbi semi-vitrei.	——— *commune* vel *lithargyri.*
Emulsio amygdalæ communis.	*Emulsio communis.*
Ferulæ assæ fœtidæ gummi-resina.	*Asa fœtida.*
Ferri oxidum nigrum.	*Ferri squamæ.*
Fraxini orni succus concretus.	*Manna.*
Gentiana centaureum.	*Centaurium minus.*
Gummi mimosæ Niloticæ.	*Gummi Arabicum.*
Hæmatoxylum Campechianum.	*Lignum Campechense.*
Helleborus niger.	*Melampodium.*
Juniperi Lyciæ resina.	*Olibanum.*
Juniperus sabina.	*Sabina.*

NOMINA NOVA.	NOMINA MUTATA.
Laurus caſſia.	*Caſſia lignea.*
——— cinnamomum.	*Cinnamomum.*
——— ſaſſafras.	*Saſſafras.*
Leontodon taraxacum.	*Dens leonis.*
Magneſia.	*Magneſia uſta.*
Melaleucæ leucadendri oleum.	*Oleum cajeputæ.*
Meloë veſicatorius.	*Cantharis.*
Mentha pulegium.	*Pulegium.*
Menyanthes trifoliata.	*Trifolium.*
Mimoſæ catechu extractum.	*Terra Japonica* vel *catechu.*
Momordica elaterium.	*Cucumis agreſtis.*
Momordicæ elaterii ſuccus ſpiſſatus.	*Elaterium.*
Murias ammoniæ.	*Ammonia muriata* vel *ſal ammoniacus.*
——— ——— et ferri.	*Ferrum ammoniatum* vel *flores martiales.*
——— antimonii.	*Antimonium muriatum* vel *butyrum antimonii.*
——— hydrargyri.	*Mercurius ſublimatus corroſivus.*
——— ſodæ.	*Soda muriata, ſal marinus* vel *muria.*
Myroxyli Peruiferi balſamum.	*Balſamum Peruvianum.*
Myrti pimentæ fructus.	*Pimenta* vel *piper Jamaicenſis.*

Nitras

NOMINA NOVA.	NOMINA MUTATA.
Nitras argenti.	*Argentum nitratum* vel *causticum lunare.*
—— potassæ.	*Nitrum.*
Olea fixa.	*Olea expressa.*
—— volatilia.	—— *stillatitia* vel *essentialia.*
Origanum majorana.	*Majorana.*
Oxidum antimonii cum sulphure per nitratem potassæ.	*Crocus antimonii* vel *metallorum.*
—— antimonii cum phosphate calcis.	*Pulvis antimonialis* vel *antimonium calcareo-phosphoratum.*
—— antimonii cum sulphure vitrificatum.	*Vitrum antimonii.*
—— antimonii vitrificatum cum cera.	—— *antimonii ceratum.*
—— arsenici.	*Arsenicum.*
—— ferri nigrum.	*Ferri squamæ.*
—— ferri rubrum.	*Ferrum vitriolatum ustum* vel *colcothar vitrioli.*
—— hydrargyri cinereum.	*Hydrargyrus præcipitatus cinereus.*
—— hydrargyri rubrum per acidum nitricum.	—— *nitratus ruber* vel *præcipitatus ruber.*
—— plumbi album.	*Cerussa.*
—— —— rubrum.	*Minium* vel *plumbum ustum rubrum.*

NOMINA NOVA.	NOMINA MUTATA.
Oxidum plumbi ſemivitreum.	*Lithargyrus* vel *plumbum uſtum.*
——— zinci.	*Zincum uſtum* vel *flores zinci.*
——— ——— impurum.	*Tutia.*
Pilulæ opiatæ.	*Pilulæ opii* vel *thebaicæ.*
Pimpinella aniſum.	*Aniſum.*
Phoſphas ſodæ.	*Soda phoſphorata.*
Polygala ſenega.	*Seneka.*
Polygonum biſtorta.	*Biſtorta.*
Potaſſa.	*Cauſticum commune acerrimum.*
——— cum calce.	——— ——— *mitius.*
Potio carbonatis calcis.	*Potio cretacea.*
Pterocarpi draconis reſina.	*Sanguis draconis.*
Pterocarpus ſantalinus.	*Santalum rubrum.*
Pulvis carbonatis calcis compoſitus.	*Pulvis cretaceus.*
——— ipecacuanhæ et opii.	——— *ipecacuanhæ compoſitus* vel *Doveri.*
——— ſulphatis aluminæ compoſitus.	——— *aluminis compoſitus* vel *ſtypticus.*
Quaſſia ſimaruba.	*Simarouba.*
Rheum palmatum.	*Rhabarbarum.*

NOMINA NOVA.	*NOMINA MUTATA.*
Rhus toxicodendron.	*Toxicodendron.*
Rosæ caninæ fructus.	*Cynosbatos.*
Rosa centifolia.	*Rosa pallida.*
—— Gallica.	—— *rubra.*
Sisymbrium nasturtium.	*Nasturtium aquaticum.*
Smilax sarsaparilla.	*Sarsaparilla.*
Solutio sulphatis cupri composita.	*Aqua cupri vitriolati composita* vel *styptica.*
Spartium scoparium.	*Genista.*
Styracis benzoini balsamum.	*Benzoinum.*
Sub-acetis cupri.	*Ærugo.*
Sub-Murias hydrargyri.	*Hydrargyrus muriatus mitis* vel *calomelas.*
—— hydrargyri præcipitatus.	*Hydrargyrus muriatus præcipitatus.*
Sub-Sulphas hydrargyri flavus.	*Hydrargyrus vitriolatus flavus* vel *turpethum minerale.*
Sulphas aluminæ.	*Alumen.*
—— —— exsiccatus.	—— *ustum.*
—— cupri.	*Cuprum vitriolatum* vel *vitriolum cæruleum.*
—— ferri.	*Ferrum vitriolatum* vel *vitriolum viride.*

Sulphas

NOMINA NOVA.	NOMINA MUTATA.
Sulphas magnesiæ.	*Magnesia vitriolata* vel *sal catharticus amarus.*
——— potassæ.	*Lixiva vitriolata* vel *tartarum vitriolatum.*
——— ——— cum sulphure.	*Lixiva vitriolata sulphurea* vel *sal polychrestus.*
——— sodæ.	*Soda vitriolata* vel *sal Glauberi.*
——— zinci.	*Zincum vitriolatum* vel *vitriolum album.*
Sulphuretum antimonii.	*Antimonium.*
——— antimonii præcipitatum.	*Sulphur antimonii præcipitatum* vel *auratum.*
——— hydrargyri rubrum.	*Cinnabaris factitia.*
——— hydrargyri nigrum.	*Hydrargyrus sulphuratus niger* vel *æthiops mineralis.*
——— potassæ.	*Hepar sulphuris.*
Super-Tartris potassæ impurus.	*Tartarus crudus.*
——— potassæ.	*Tartarus purificatus* vel *crystalli tartari.*
Syrupus Toluiferæ balsami.	*Syrupus balsamicus.*
Tartris antimonii.	*Antimonium tartarisatum* vel *tartarus emeticus.*
——— potassæ.	*Lixiva tartarisata* vel *tartarum solubile.*

Tartris

NOMINA NOVA.	*NOMINA MUTATA.*
Tartris potaſſæ et ſodæ.	*Soda tartariſata* vel *ſal Rupellenſis.*
Tinctura benzoës compoſita.	*Balſamum traumaticum.*
——— camphoræ.	*Spiritus vinoſus camphoratus.*
——— caſſiæ ſennæ compoſita.	*Elixir ſalutis.*
——— muriatis ferri.	*Tinctura ferri* vel *martis.*
——— rhei cum gentiana.	——— *rhei amara.*
——— opii.	*Laudanum liquidum* vel *tinctura thebaica.*
——— ſaponis.	*Linimentum ſaponaceum.*
——— ——— cum opio.	——— *anodynum.*
Toluifera balſamum.	*Balſamum Toluianum.*
Unguentum nitratis hydrargyri fortius.	*Unguentum citrinum.*
Veratrum album.	*Helleborus albus.*
Vinum aloës ſocotorinæ.	*Vinum aloëticum* vel *tinctura ſacra.*
——— tartritis antimonii.	——— *antimonii tartariſati* vel *vinum antimoniale.*

NOTANDUM,

NOTANDUM.

IN binis his indicibus Nominum Mutatorum (metuentes fcilicet ne nimis longi forent, et contenti fi ab omni poffibili errore præcaveretur) fimplicia tantum infcripfimus medicamenta, quorum nomina præcipua et ufitata, in Hiftoria Naturali *generica* dicta, mutavimus; cujufmodi funt Anethum fœniculum pro Fœniculo, Anthemis nobilis pro Chamæmelo, Gentiana centaureum pro Centaurio minore: omifimus vero fimplicia omnia quorum nomina priora *generica* manent, adjectis tantum ipforum nominibus *fpecificis* aut *trivialibus*; cujufmodi exempla funt Digitalis purpurea, Rheum palmatum, Papaver fomniferum.

Pari ratione fat effe putavimus in utroque indice notaffe nomen mutatum uniufcujufque medicamenti fimplicis, omiffis plerumque titulis compofitorum aut præparatorum quæ

ex

ex eo fiunt : ſic indicavimus Laurum Cinnamomum dici pro Cinnamomo ; omiſimus vero Aquam, Spiritum, et Tincturam Lauri cinnamomi, confiſi neminem de horum nominibus novis aut dubitare poſſe aut errare.

INDEX

INDEX

MEDICAMENTORUM.

A. Pag.

ACETIS hydrargyri, — — 154
——— plumbi, — — 161
——— potaſſæ, — — 130
Acetum aromaticum, — — 77
——— ſcillæ maritimæ, — — 78
Acidum acetoſum camphoratum, — 78
——— ——— deſtillatum, — 114
——— ——— forte, — — 114
——— benzoicum, — — 115
——— muriaticum, — — 115
——— nitricum, — — 117
——— nitroſum, — — 116
——— ——— dilutum, — 117
——— ſuccini, — — 110
——— ſulphuricum dilutum, — 118

Acidum,

Acidum sulphuricum aromaticum, — 118
Æther sulphuricus, — — 119
—— —— cum alcohole, — 120
—— —— —— —— aromaticus, 121
Æthiops mineralis, — — 160
Alcohol ammoniatum, — — 123
—— —— aromaticum, — 124
—— —— fœtidum, — 124
Alumen ustum, — — 38
Ammonia præparata, — — 121
Ammoniaretum cupri, — — 149
Antimonium præparatum, — 38
Aqua acetitis ammoniæ, — 129
—— ammoniæ, — — 122
—— —— causticæ, — 122
—— calcis, — — 57
—— carbonatis ammoniæ, — 122
—— citri aurantii, — — 102
—— citri medicæ, — — 103
—— destillata, — — 102
—— lauri cassiæ, — — 103
—— lauri cinnamomi, — — 103
—— menthæ piperitæ, — — 103
—— myrti pimentæ, — — 103
—— potassæ, — — 126
—— rosæ centifoliæ, — — 103
—— styptica, — — 149
—— super-carbonatis potassæ, — 127
—— —— sodæ, — [illegible]

B,

B.

Balsamum traumaticum, — — 83

C.

Calomelas, — — 156
Cancrorum lapilli praeparati, — 35
Carbonas ammoniae, — — 121
——— calcis praeparatus, — 35
——— ferri, — — 150
——— ——— praecipitatus, — 150
——— ——— praeparatus, — 36
——— magnesiae, — — 140
——— potassae, — — 125
——— ——— purissimus, — 125
——— sodae, — — 128
——— zinci impurus praeparatus, — 36
Causticum commune acerrimum, — 131
——— ——— mitius, — 131
Ceratum carbonatis zinci impuri, — 193
——— lapidis calaminaris, — 193
——— simplex, — — 187
Confectio Japonica, — 172
Conserva citri aurantii, — 42
——— rosae caninae, — 42
——— rosae Gallicae, — — 42

O Creta

Creta præparata, — — 35
Crocus antimonii, — — 146
Cuprum ammoniacum, — 149

D.

Decoctum althææ officinalis, — 58
——— anthemidis nobilis, — 59
——— chamæmeli, ſive commune, — 59
——— cinchonæ officinalis, — 59
——— corticis Peruviani, — 59
——— daphnes mezerei, — 60
——— geoffrææ inermis, — 60
——— guajaci officinalis compoſitum, — 61
——— hordei diſtichi, — 61
——— lignorum, — — 61
——— polygalæ ſenegæ, — 62
——— ſmilacis ſarſaparillæ, — 63

E.

Elaterium, — — 46
Electuarium aromaticum, — — 170
——— caſſiæ fiſtulæ, — 170
——— caſſiæ ſennæ, — 171
——— catechu; — — 172
——— lenitivum, — 171

Electuarium

Electuarium opiatum, 173
———— thebaicum, — 173
Elixir paregoricum, — 94
—— sacrum, — — 95
—— salutis, — — 84
—— stomachicum, — — 88
Emplastrum adhaesivum, — 196
———— assae foetidae, — 197
———— cereum, — 195
———— gummosum, — 197
———— hydrargyri, — 198
———— meloës vesicatorii, — 199
———— ———— ———— compositum, 200
———— ferri rubri, — 196
———— ———— plumbi semivitrei, — 195
———— resinosum, — 196
———— roborans, — 196
———— saponaceum, — 199
———— simplex, — — 195
———— vesicatorium, — — 199
Emulsio amygdalae communis, — 48
——— Arabica, — — 48
——— camphorata, — — 49
——— gummi mimosae Niloticae, — 48
Extractum anthemidis nobilis, — 100
———— cassiae sennae, — — 100
———— cinchonae officinalis, — 100

Extractum convolvuli jalapæ, — 100
——— gentianæ luteæ, — 99
——— glycyrrhizæ glabræ, — 100
——— hæmatoxyli Campechenſis, — 100
——— hellebori nigri, 100
——— papaveris ſomniferi, — [illegible]
——— rutæ graveolentis, — [illegible]

F.

Ferri limatura purificata, — 37
—— oxidum nigrum purificatum, — [illegible]
—— rubigo, — [illegible]
—— ſquamæ purificatæ, — 37
Flores martiales, — — 143

H.

Hepar ſulphuris, — — 156
Hydrargyrus purificatus, — 154
Hydro-ſulphuretum ammoniæ, — 157

I.

I.

Infusum amarum, — 51
——— cinchonae officinalis, — 50
——— digitalis purpureae, — 50
——— gentianae luteae compositum, — 51
——— Japonicum, — — 52
——— mimosae catechu, — — 52
——— rhei palmati, — — 52
——— rosae Gallicae, — — 53
——— tamarindi Indicae cum cassia senna, 54

L.

Lapis calaminaris praeparatus, — 36
Laudanum liquidum, — — 94
Linimentum anodynum, — 97
——— saponaceum, — 97
——— simplex, — 186
——— volatile, — 112
Lixivium causticum, — — 126

M.

Magnesia, — — 141
——— alba, — — 140

Magnesia usta, — — 141
Mel despumatum, — — 39
Mercurius præcipitatus ruber, — 159
——— sublimatus corrosivus, — 155
Mucilago amyli, — — 55
——— astragali tragacanthæ, — 56
— ——— mimosæ Niloticæ, — 56
rias ammoniæ et ferri, — 153
——— antimonii, — — 147
——— barytæ, — — 158
——— hydrargyri, — — 155

N.

Nitras argenti, —

O.

Oculi cancrorum præparati, — 33
Oleum ammoniatum, — — 112
——— amygdalæ communis, — 47
——— camphoratum, — — 113
——— lini usitatissimi, — — 47
——— —— cum calce, — — 112
——— succini, — — 110
——— ——— purissimum, — 111
——— sulphuratum, — — 115

Oleum terebinthinæ volatile puriſſimum, 111
——— volatile juniperi communis, — 109
——— ——— ——— ſabinæ, — 108
——— ——— lavandulæ ſpicæ, — 108
——— ——— lauri ſaſſafras, — 109
——— ——— menthæ piperitæ, — 108
——— ——— myrti pimentæ, — 109
——— ——— pimpinellæ aniſi, — 108
——— ——— roriſmarini officinalis, — 108
Oxidum antimonii cum phoſphate calcis, 145
——— ——— cum ſulphure per nitratem potaſſæ, 146
——— ——— cum ſulphure vitrificatum, 143
——— ——— vitrificatum cum cera, 144
——— ferri rubrum, — — 152
——— hydrargyri cinereum, — 158
——— ——— rubrum per acidum nitricum, 159
——— zinci, — — 162
——— ——— impurum præparatum, — 37

P.

Phoſphas ſodæ, — — 134
Pilulæ aloës cum aſſa fœtida, — 175
——— ——— cum colocynthide, — 176
——— ——— cum myrrha, — 177
——— aloeticæ, — — 175
——— ammoniareti cupri, — 178

Pilulæ assæ fœtidæ compositæ, — 177
—— hydrargyri, — 178
—— opiatæ, — — 179
—— rhei compositæ, — 180
—— scilliticæ, — — 180
—— thebaicæ, — — 179
Potassa, — — 131
—— cum calce, — — 131
Potio carbonatis calcis, — — 55
—— cretacea, — — 55
Pulvis antimonialis, — — 145
—— aromaticus, — — 165
—— asari Europæi compositus, — [illegible]
—— carbonatis calcis compositus, — [illegible]
—— cretaceus, — — 166
—— Doveri, — — 167
—— jalapæ compositus, — 167
—— ipecacuanhæ et opii, — 167
—— opiatus, — — 168
—— scammonii compositus, — 168
—— stypticus, — — 169
—— sulphatis aluminæ compositus, — 169

R.

R.

Rob fambuci, — — 45
Rubigo ferri præparata, — 36

S.

Saccharum faturni, — 161
Sal alkalinus fixus foffilis purificatus, — 128
— Glauberi, — — 136
— Rupellenfis, — — 134
— tartari, — — 125
Scillæ maritimæ exficcata, — 40
Solutio acetitis zinci, — 263
——— muriatis barytæ, — 139
——— ——— calcis, — 139
——— fulphatis cupri compofita, — 149
——— ——— zinci, — 163
Spiritus ætheris nitrofi, — 117
——— ammoniæ, — 123
——— ——— aromaticus, — 124
——— ——— fœtidus, — 124
——— cari carvi, — 104
——— lauri cinnamomi, — 105
——— myrti pimentæ, — 105
——— juniperi communis compofitus, 105
——— lavandulæ fpicæ, — 106
——— ——— ——— compofitus, — 106

Spiritus

Spiritus menthæ piperitæ, — 105
——— Mindereri, — 129
——— myristicæ moschatæ, — 105
——— rorismarini officinalis, — 107
——— vinosus camphoratus, — 83
Sub-murias hydrargyri, — 156
——— ——— præcipitatus, — 157
Sub-sulphas hydrargyri flavus, — 160
Succi ad scorbuticos, — 43
Succus cochleariæ officinalis compositus, — 43
——— spissatus aconiti napelli, — 44
——— ——— atropæ belladonnæ, — 45
——— ——— conii maculati, — 45
——— ——— hyosciami nigri, — 45
——— ——— lactucæ virosæ, — 45
——— ——— momordicæ elaterii, — 46
——— ——— sambuci nigri, — 45
Sulphas aluminæ exsiccatus, — 38
——— ferri, — — 151
——— ——— exsiccatus, — 152
——— potassæ, — — 132
——— ——— cum sulphure, — 133
——— sodæ, — — 136
——— zinci, — — 162
——— Sulphur sublimatum lotum, — 38
Sulphuretum antimonii præcipitatum, — 146

Sulphuretum

Sulphuretum antimonii præparatum, — 38
—— hydrargyri nigrum, — 160
—— potassæ, — 136
Syrupus acidi acetosi, — 64
—— althææ officinalis, — 65
—— amomi zingiberis, — 65
—— balsamicus, — 71
—— citri aurantii, — 66
—— —— medici, — 66
—— colchici autumnalis, — 67
—— dianthi caryophylli, — 67
—— limonum, — 66
—— papaveris somniferi — 68
—— [illegible] ca[illegible] — 69
—— [illegible] cifol[illegible] — 70
—— —— Gallicæ, — 69
—— scillæ maritimæ, — 70
—— simplex, sive communis, — 64
—— toluiferæ balsami, — 71
—— violæ odoratæ, — 71

T.

Tartarum solubile, — 133
—— vitriolatum, — 132

Tartarus

Tartarus emeticus, — — 148
Tartris antimonii, — — 148
——— potassæ, — 133
——— ——— et sodæ, — 134
Tinctura aloesætherea, — 80
——— ——— cum myrrha, — 80
——— ——— socotorinæ, — 79
——— amomi repentis, — 81
——— aristolochiæ serpentariæ, — 82
——— aromatica, — — 92
——— assæ fœtidæ, — 82
——— benzoës composita, — 83
——— camphoræ, — 85
——— cassiæ sennæ composita — 84
——— castorei, — 85
——— ——— composita, — 85
——— cinchonæ officinalis, — 86
——— colombæ, — 86
——— convolvuli jalapæ, — 87
——— croci, — — 87
——— digitalis purpureæ, — 87
——— gentianæ composita, — 88
——— guajaci, — — 89
——— ——— ammoniata, — 89
——— hellebori nigri, — 90
——— hyoscyami nigri, — 90
——— Japonica, — 95

Tinctura

Tinctura kino, — — 91
——— lauri cinnamomi, — 91
——— ——— ——— composita, — 92
——— meloës vesicatorii, — 92
——— mimosæ catechu, — 93
——— muriatis ferri, — 152
——— myrrhæ, — 93
——— opii, — — 94
——— opii ammoniata, — 94
——— rhei amara, — 96
——— —— cum aloë, — 95
——— —— cum gentiana, — 96
——— —— palmati, — 95
——— [illegible], — 73
——— [illegible]is, — — 97
——— ——— cum [illegible]io, — 97
——— thebaica, — 94
——— toluiferæ balsami, — 98
——— Tolutana, — 98
——— veratri albi, — 98
Trochisci carbonatis calcis, — 182
——— glycyrrhizæ, — 183
——— ——— cum opio, — 183
——— gummosi, — 184
——— nitratis potassæ, — 185
Turpethum minerale, — 160

U.

U.

Unguentum acetitis plumbi, — 192
———— acidi nitrosi, — 192
———— æruginis, — 189
———— album, — 192
———— citrinum, — 191
———— cœruleum, — 189
———— epispasticum fortius, — 188
———— ———— mitius, — 188
———— hydrargyri, — 189
———— infusi meloës vesicatorii, — 188
———— nitratis hydrargyri fortius, — 191
———— ———— ———— [illegible] 191
———— oxidi hydrargyri [illegible] — 190
———— —— ———— [illegible], — 190
———— —— plumbi albi, — 192
———— —— zinci, — 193
———— —— —— impuri, — 193
———— picis, — 194
———— pulveris meloës vesicatorii, 188
———— resinosum, — 187
———— saturninum, — 192
———— simplex, — 187
———— sub-acetitis cupri, — 189
———— sulphuris, — 194
———— tutiæ, — 193

V.

V

Vinum aloës socotrinæ, — 73
——— amarum, — — 74
——— antimonii, — — . 148
——— gentianæ compositum, — 74
——— ipecacuanhæ, — — 75
——— nicotianæ tabaci, — 75
——— rhei palmati, — — 75
——— tartritis antimonii, — 148
Vitriolum album, — — 162
Vitrum antimonii, — — 143
——— ——— ceratum, — 144

F I N I S.

Just Published by BELL *and* BRADFUTE,

I.

THE EDINBURGH

NEW DISPENSATORY:

Containing, 1. The Elements of Pharmaceutical Chemistry. 2. The Materia Medica. 3. The Pharmaceutical Preparations and Compositions; including Translations of the London Pharmacopœia 1791; Dublin Pharmacopœia 1794; and of the New Edition of the Edinburgh Pharmacopœia 1803.—Illustrated and Explained in the Language and according to the Principles of Modern Chemistry. With many Tables, and Plates of Chemical Apparatus, &c.

BY ANDREW DUNCAN *jun.* M. D.

Fellow of the Royal College of Physicians, and Royal Society of Edinburgh, and Associate of the Linnæan Society of London. (Price 9 s. in boards.)

II.

ANNALS OF MEDICINE,

For the Year 1802.

BY DRS DUNCAN *sen.* & *jun.*

(Price 8 s. in boards.)

Of Bell and Bradfute may be had ANNALS OF MEDICINE for the years 1796, 1797, 1798, 1799, and 1800, which complete the First Lustrum, in 5 vols, 8vo. price L. 2 in boards; and also Annals of Medicine for 1801, being the first volume of the Second Lustrum, price 8 s. in boards.

MEDICAL BOOKS

PRINTED FOR AND SOLD BY

BELL & BRADFUTE, EDINBURGH.

25

PHARMACOPOEIA Collegii Regii Medicorum Edinburgenſis, 1803. 8vo. 6 s in boards.

The Edinburgh New Diſpenſatory: containing, 1. The Elements of Pharmaceutical Chemiſtry. 2. The Materia Medica. 3. The Pharmaceutical Preparations and Compoſitions; including Tranſlations of the London Pharmacopœia 1791; Dublin Pharmacopœia 1794; and of the New Edition of the Edinburgh Pharmacopœia 1803.—Illuſtrated and explained in the Language and according to the Principles of Modern Chemiſtry. With many Tables, and Plates of Chemical Apparatus, &c. By *Andrew Duncan jun.* M. D. Fellow of the Royal College of Phyſicians, and Royal Society of Edinburgh, and Aſſociate of the Linnæan Society of London. 8vo. 9 s. boards.

Annals of Medicine for the years 1796, 1797, 1798, 1799, and 1800, which complete the Firſt Luſtrum. By Drs *Duncan ſen.* and *jun.* in 5 vols, 8vo. price L. 2 in boards.

Annals of Medicine for 1801, and 1802, being the firſt and ſecond volumes of the Second Luſtrum. 8 s. each, boards.

A Syſtem of Surgery. By *Benjamin Bell*, Member of the Royal Colleges of Surgeons of Ireland and Edinburgh, one of the Surgeons to the Royal Infirmary, and Fellow of the Royal Society of Edinburgh. A new

edition,

edition, being the ſeventh, corrected and enlarged. 7 vols. 8vo; illuſtrated with 114 copperplates, and an elegantly engraved Head of the Author. L. 2, 16 s. boards.

By the ſame Author. A Treatiſe on Gonorrhœa Virulenta, and Lues Venerea. 2 vols. 8vo, 14 s. boards.

By the ſame Author. A Treatiſe on Hydrocele, on Sarcocele or Cancer, and other Diſeaſes of the Teſtes; illuſtrated with 4 copperplates. 8vo. 4 s. boards.

A Treatiſe of the Materia Medica. By *William Cullen*, M. D. Profeſſor of the Practice of Phyſic in the Univerſity of Edinburgh. 2 vols. 4to, L. 2, 2 s. boards.

By the ſame Author. Firſt Lines of the Practice of Phyſic. A new edition, carefully compared with the Author's moſt correct edition, and reviſed by Dr *Gregory*. 2 vols. 8vo. 16 s. boards.

The Structure and Phyſiology of Fiſhes explained, and compared with thoſe of Man and other Animals; illuſtrated with Figures. By *Alexander Monro*, M. D. &c. Folio.

By the ſame Author. Obſervations on the Structure and Functions of the Nervous Syſtem; illuſtrated with 47 copperplate tables. Royal folio.

By the ſame Author. A Deſcription of all the Burſæ Mucoſæ of the Human Body; illuſtrated with Tables. Folio, 12 s. boards.

By the ſame Author. Experiments on the Nervous Syſtem, with opium and other Metalline Subſtances, made chiefly with a view of determining the Nature and Effects of Animal Electricity. 4to. 3 s. ſewed.

By the ſame Author, Three Treatiſes. On the Brain, the Eye, and the Ear; illuſtrated by Tables. 1 volume, royal 4to. L. 1, 5s. boards.

The Inſtitutions of Medicinal Pathology. By *H. D. Gaubius*, Profeſſor of Chemiſtry in the Univerſity of Leyden; tranſlated from the Latin. 8vo. 4 s. boards.

Obſervations

25

Obfervations on the Animal Economy, and on the Caufe and Cure of Difeafes. By *John Gardiner*, M. D. Prefident of the Royal College of Phyficians, and Fellow of the Royal Society of Edinburgh. 8vo. 6 s. boards.

By the fame Author. An Inquiry into the Nature, Caufe, and Cure, of the Gout. 8vo. 4 s. boards.

Principia Medicinæ, auctore *Francifco Home*, Medico Regio, et Collegii Medicorum Edinburgenfis Socio; editio tertia. 8vo. 4 s. boards.

By the fame Author. Methodus Materiæ Medicæ. 12mo, 1 s. fewed.

Ferdinandi Leber Prælectiones Anatomicæ; editio nova, cui nunc primum accefferunt, Obfervationes quædam phyfiologicæ et anatomicæ, curante *Joanne Wilfon*, M. D. 8vo. 5 s. boards.

Practical Obfervations on Venereal Complaints. By *F. Swediaur*, M. D. 8vo. 5 s. boards.

Myographiæ comparatæ Specimen; or, A Comparative Defcription of all the Mufcles in a Man and in a Quadruped. By *James Douglas*, M. D. A new edition, with improvements; to which is now added, An Account of the Blood-veffels and Nerves. Crown 8vo, 4 s. boards.

A Popular View of the Effects of the Venereal Difeafe upon the Conftitution, collected from the beft Writers; to which are prefixed, Mifcellaneous Obfervations. By a Phyfician. 8vo. 3 s. boards.

A Set of Anatomical Tables, with Explanations, and an Abridgment of the Practice of Midwifery; with a view to illuftrate a Treatife on that Subject, and Collection of Cafes. By *William Smellie*, M. D. A new edition, with an entirely new Set of Plates, carefully corrected and revifed, with Notes and Illuftrations, adapted

adapted to the present improved method of practice. By *A. Hamilton*, M. D. F. R. S. Edin. 8vo. 6 s. boards.

A Collection of Engravings, (18), designed to facilitate the study of Midwifery; explained and illustrated by *James Hamilton* junior, M. D. Fellow of the Royal College of Physicians, Edinburgh. 8vo. 4 s. 6 d. boards.

Medical and Chirurgical Observations. By *Augustus Gotlieb Richter*, M. D. Professor of Medicine in the University of Goettingen, &c. Translated from the German by Dr *Thomas Spens*. 5 s. boards.

A practical Essay on a certain Disease of the Bones termed Necrosis, with an Appendix; illustrated with 7 copperplates. By *James Russell*, F. R. S. Edin. Fellow of the Royal College of Surgeons, and one of the Surgeons to the Royal Infirmary of Edinburgh. Crown 8vo, 3 s. 6 d. boards.

First Lines of Physiology. By *Albert von Haller*. Translated from the third Latin edition; to which is added a Translation of the Index composed for the Edinburgh edition printed under the inspection of Dr *William Cullen*. 8vo. 9 s. boards.

Heads of Lectures on the Institutions of Medicine. By *Andrew Duncan*, M. D. & P. Fifth edition, 8vo, 5 s. boards.

Dissertations on White Swelling of the Joints, and the Doctrine of Inflammation. By *John Herdman*, M. D. Fellow of the Royal College of Surgeons, Edinburgh. 8vo. 5 s. boards.

IN THE PRESS,

A System of Chemistry. By *Thomas Thomson*, M. D. Lecturer on Chemistry in Edinburgh. Second edition, corrected and enlarged, in 4 vols. 8vo.